

UNITECH

Unitech is a leading supplier of high quality stainless steel and aluminium equipment to the food, beverage, pharmaceutical and other hygiene conscious industries.

Operating from our 75,000 square foot production facility in the heart of the West Midlands we offer a range of 'off the shelf' products as well as bespoke fabrications.

We also have, through our experience the expertise to offer

We also have, through our experience the expertise to offer full turnkey projects with many impressive references both in the UK and worldwide.

Bootwashers



Conveyors & Sytems







Equipment Solutions

In more recent years the Unitech group has grown substantially and still continues to grow.

Whatever your needs, contact us today, we are sure to have an answer to your procurement needs.



Industrial Washing







for the Food Production Industry





General Equipment













Now part of the Unitech group

Specialist Checkweighing, Metal Detection and Vibratory Conveying

DS4 Combi



DS300S Metal Detector




DS4 Checkweigher



Bench Scale



Laning Conveyor



Vibratory Conveyors



contents

Tables	6-11
Sinks	12-15
Racks	16-18
Trolleys	19-20
Trays	21
Welly Racks	22-23
Garment Dispensers	24
Lockers	25
Benches	26
Shoe Storage	27
Clothing Racks	28
Bathroom Additions	29
Urinals	30
Bins	31
Boot Washers	32-35
Bogies & Dollies	36
Cupboards	37-38
Pallets	39-40
Platforms & Steps	41-42
Drains & Kerbing	43-47
Vessels & Utensils	48-49
Washing Systems	50-54
Conveyors & Material Handling	55-58
Bespoke & Specials	59-60
Lifting & Tipping	61-64
Euro/Tote Bins	65-66
Taps	67
Parts & Spares	68-69
Unitech Industries Group Companies	70-71

tel: 01543 687095 www.driversouthall.co.uk





Tables



Stainless Steel Tables

- 304 grade stainless steel top
- Stainless steel or Aluminium Frame
- Static or mobile
- · Fully welded frame



Three bar - Standard aluminium frame

600 x 600 x 900mm Code TA.S34.01

900 x 600 x 900mm Code **TA.S34.02** 1200 x 600 x 900mm Code **TA.S34.03** 1427 x 600 x 900mm Code TA.S34.04 1800 x 600 x 900mm Code **TA.S34.05** 1427 x 750 x 900mm Code TA.S34.06 1800 x 750 x 900mm Code TA.S34.07 1800 x 900 x 900mm Code TA.S34.08

Stainless Steel Topped Single Bar - 4 legs

Single har - Standard stainless steel frame

Tables

Jingie bai - Standard Stan	iness steel manne
600 x 600 x 900mm	Code TS.S14.01
900 x 600 x 900mm	Code TS.S14.02
1200 x 600 x 900mm	Code TS.S14.03
1427 x 600 x 900mm	Code TS.S14.04
1800 x 600 x 900mm	Code TS.S14.05
1427 x 750 x 900mm	Code TS.S14.06
1800 x 750 x 900mm	Code TS.S14.07
1800 x 900 x 900mm	Code TS.S14.08

Single bar - Heavy duty s	tainless steel frame
600 x 600 x 900mm	Code TS.S14.HD.0
900 x 600 x 900mm	Code TS.S14.HD.0
1200 x 600 x 900mm	Code TS.S14.HD.0
1427 x 600 x 900mm	Code TS.S14.HD.O
1800 x 600 x 900mm	Code TS.S14.HD.0
1427 x 750 x 900mm	Code TS.S14.HD.0
1800 x 750 x 900mm	Code TS.S14.HD.0
1800 x 900 x 900mm	Code TS.S14.HD.O

Single bar - Standard aluminium frame 600 x 600 x 900mm Code **TA.S14.01**

900 x 600 x 900mm	Code TA.S14.02
1200 x 600 x 900mm	Code TA.S14.03
1427 x 600 x 900mm	Code TA.S14.04
1800 x 600 x 900mm	Code TA.S14.05
1427 x 750 x 900mm	Code TA.S14.06
1800 x 750 x 900mm	Code TA.S14.07
1800 x 900 x 900mm	Code TA.S14.08





Single Bar - 6 legs

Single bar - Standard sta	inless steel frame
2133 x 600 x 900mm	Code TS.S16.01
2425 x 600 x 900mm	Code TS.S16.02
2743 x 600 x 900mm	Code TS.S16.03
2925 x 600 x 900mm	Code TS.S16.04
2133 x 750 x 900mm	Code TS.S16.05
2425 x 750 x 900mm	Code TS.S16.06
2743 x 750 x 900mm	Code TS.S16.07
2743 x 900 x 900mm	Code TS.S16.08

Single bar - Heavy duty	stainless steel frame
2133 x 600 x 900mm	Code TS.S16.HD.01
2425 x 600 x 900mm	Code TS.S16.HD.02
2743 x 600 x 900mm	Code TS.S16.HD.O3
2925 x 600 x 900mm	Code TS.S16.HD.04
2133 x 750 x 900mm	Code TS.S16.HD.05
2425 x 750 x 900mm	Code TS.S16.HD.06
2743 x 750 x 900mm	Code TS.S16.HD.07
2743 x 900 x 900mm	Code TS.S16.HD.08

Single bar - Standard aluminium frame

2133 x 600 x 900mm	Code TA.S16.01
2425 x 600 x 900mm	Code TA.S16.02
2743 x 600 x 900mm	Code TA.S16.03
2925 x 600 x 900mm	Code TA.S16.04
2133 x 750 x 900mm	Code TA.S16.05
2425 x 750 x 900mm	Code TA.S16.06
2743 x 750 x 900mm	Code TA.S16.07
2743 x 900 x 900mm	Code TA.S16.08

Stainless Steel Topped Three Bar - 4 legs

Three bar - Standard stainless steel frame		
600 x 600 x 900mm	Code TS.S34.01	
900 x 600 x 900mm	Code TS.S34.02	
1200 x 600 x 900mm	Code TS.S34.03	
1427 x 600 x 900mm	Code TS.S34.04	
1800 x 600 x 900mm	Code TS.S34.05	
1427 x 750 x 900mm	Code TS.S34.06	
1800 x 750 x 900mm	Code TS.S34.07	
1800 x 900 x 900mm	Code TS.S34.08	

Three bar - Heavy duty st	tainless steel frame
600 x 600 x 900mm	Code TS.S34.HD.01
900 x 600 x 900mm	Code TS.S34.HD.02
1200 x 600 x 900mm	Code TS.S34.HD.03
1427 x 600 x 900mm	Code TS.S34.HD.04
1800 x 600 x 900mm	Code TS.S34.HD.05
1427 x 750 x 900mm	Code TS.S34.HD.06
1800 x 750 x 900mm	Code TS.S34.HD.07
1800 x 900 x 900mm	Code TS.S34.HD.08



Three Bar - 6 legs

Three bar - Standard stainless steel frame		
2133 x 600 x 900mm	Code TS.S36.01	
2425 x 600 x 900mm	Code TS.S36.02	
2743 x 600 x 900mm	Code TS.S36.03	
2925 x 600 x 900mm	Code TS.S36.04	
2133 x 750 x 900mm	Code TS.S36.05	
2425 x 750 x 900mm	Code TS.S36.06	
2743 x 750 x 900mm	Code TS.S36.07	
2743 x 900 x 900mm	Code TS.S36.08	

Three bar - Heavy duty s	tainless steel frame
2133 x 600 x 900mm	Code TS.S36.HD.O
2133 x 600 x 900mm	Code TS.S36.HD.O
2743 x 600 x 900mm	Code TS.S36.HD.O
2925 x 600 x 900mm	Code TS.S36.HD.0
2133 x 750 x 900mm	Code TS.S36.HD.0
2425 x 750 x 900mm	Code TS.S36.HD.O
2743 x 750 x 900mm	Code TS.S36.HD.0
2743 x 900 x 900mm	Code TS.S36.HD.0

Three bar - Standard aluminium frame

2133 x 600 x 900mm	Code TA.S36.01
2425 x 600 x 900mm	Code TA.S36.02
2743 x 600 x 900mm	Code TA.S36.03
2925 x 600 x 900mm	Code TA.S36.04
2133 x 750 x 900mm	Code TA.S36.05
2425 x 750 x 900mm	Code TA.S36.06
2743 x 750 x 900mm	Code TA.S36.07
2743 x 900 x 900mm	Code TA.S36.08



Stainless Steel Topped Undershelf - 4 legs

Solid undershelf - Standard	stainless steel frame
600 x 600 x 900mm	Code TS.S14.RUS.01
900 x 600 x 900mm	Code TS.S14.RUS.02
1200 x 600 x 900mm	Code TS.S14.RUS.03
1427 x 600 x 900mm	Code TS.S14.RUS.04
1800 x 600 x 900mm	Code TS.S14.RUS.05
1427 x 750 x 900mm	Code TS.S14.RUS.06
1800 x 750 x 900mm	Code TS.S14.RUS.07
1800 x 900 x 900mm	Code TS.S14.RUS.08

Solid undershelf - Heavy duty stainless steel frame

Solid undershelf - Heavy d	uty stainiess steel trame
600 x 600 x 900mm	Code TS.S14.RUS.HD.01
900 x 600 x 900mm	Code TS.S14.RUS.HD.02
1200 x 600 x 900mm	Code TS.S14.RUS.HD.O3
1500 x 600 x 900mm	Code TS.S14.RUS.HD.04
1800 x 600 x 900mm	Code TS.S14.RUS.HD.05
1500 x 750 x 900mm	Code TS.S14.RUS.HD.06
1800 x 750 x 900mm	Code TS.S14.RUS.HD.07
1800 x 900 x 900mm	Code TS.S14.RUS.HD.08

Solid undershelf - Standard	aluminium frame
600 x 600 x 900mm	Code TA.S14.RUS.01
900 x 600 x 900mm	Code TA.S14.RUS.02
1200 x 600 x 900mm	Code TA.S14.RUS.03
1427 x 600 x 900mm	Code TA.S14.RUS.04
1800 x 600 x 900mm	Code TA.S14.RUS.05
1427 x 750 x 900mm	Code TA.S14.RUS.06
1800 x 750 x 900mm	Code TA.S14.RUS.07
1800 x 900 x 900mm	Code TA.S14.RUS.08



Undershelf - 6 legs

Solia undersneit - Standard	stainless steel frame
2133 x 600 x 900mm	Code TS.S16.RUS.01
2425 x 600 x 900mm	Code TS.S16.RUS.02
2743 x 600 x 900mm	Code TS.S16.RUS.O3
2925 x 600 x 900mm	Code TS.S16.RUS.04
2133 x 750 x 900mm	Code TS.S16.RUS.05
2425 x 750 x 900mm	Code TS.S16.RUS.06
2743 x 750 x 900mm	Code TS.S16.RUS.07
2743 x 900 x 900mm	Code TS.S16.RUS.08

Solid undershelf - Heavy duty stainless steel frame

duty stanness steel name
Code TS.S16.RUS.HD.O1
Code TS.S16.RUS.HD.02
Code TS.S16.RUS.HD.O3
Code TS.S16.RUS.HD.04
Code TS.S16.RUS.HD.05
Code TS.S16.RUS.HD.06
Code TS.S16.RUS.HD.07
Code TS.S16.RUS.HD.08

Solid undershelf - Standard aluminium frame

Solid undersneit - Standard	aluminium trame
2133 x 600 x 900mm	Code TA.S16.RUS.01
2425 x 600 x 900mm	Code TA.S16.RUS.02
2743 x 600 x 900mm	Code TA.S16.RUS.03
2925 x 600 x 900mm	Code TA.S16.RUS.04
2133 x 750 x 900mm	Code TA.S16.RUS.05
2425 x 750 x 900mm	Code TA.S16.RUS.06
2743 x 750 x 900mm	Code TA.S16.RUS.07
2743 x 900 x 900mm	Code TA.S16.RUS.08

We **Specialise** in Bespoke Give us a call on

44(0)1543 675 800



Code IT.001.01

- 304 grade stainless steel top
- · Stainless steel or aluminium frame • Single bar, multi bar or solid shelf
- Static or mobile
- Fully welded frame
- Option of removable top
- . Variety of box section and top specifications
- 6 legged version available
- Up to 3900mm long
- Additional support for gastronorm containers
- · Additional over shelves also available





Combi Table with

steel available

· Frames fully welded

Variety of sizes available





Draining Table

- 304 grade stainless steel top
- Centre Drain
- · Stainless steel or Aluminium frame
- Single bar, multi bar or solid undershelf
- Static or Mobile

Draining Table Single Bar

Standard stainless steel frame

600 x 600 x 900mm	Code DT.S14.01
900 x 600 x 900mm	Code DT.S14.02
1200 x 600 x 900mm	Code DT.S14.03
1500 x 600 x 900mm	Code DT.S14.04
1800 x 600 x 900mm	Code DT.S14.05
1500 x 750 x 900mm	Code DT.S14.06
1800 x 750 x 900mm	Code DT.S14.07
1800 x 900 x 900mm	Code DT.S14.08

Standard aluminium trame	
600 x 600 x 900mm	Code DT.A14.0 1
900 x 600 x 900mm	Code DT.A14.0 2
1200 x 600 x 900mm	Code DT.A14.03
1500 x 600 x 900mm	Code DT.A14.0 4
1800 x 600 x 900mm	Code DT.A14.05
1500 x 750 x 900mm	Code DT.A14.0 6
1800 x 750 x 900mm	Code DT.A14.0 7
1800 x 900 x 900mm	Code DT.A14.08

Draining Table Three Bar

Standard stainless steel frame

600 x 600 x 900mm	Code DT.S34.01
900 x 600 x 900mm	Code DT.S34.02
1200 x 600 x 900mm	Code DT.S34.03
1500 x 600 x 900mm	Code DT.S34.04
1800 x 600 x 900mm	Code DT.S34.05
1500 x 750 x 900mm	Code DT.S34.06
1800 x 750 x 900mm	Code DT.S34.07
1800 x 900 x 900mm	Code DT.S34.08
Standard aluminium frame	
Standard aluminium trame	
600 x 600 x 900mm	Code DT.A34.01

Standard aluminium trame	
600 x 600 x 900mm	Code DT.A34.0
900 x 600 x 900mm	Code DT.A34.0 2
1200 x 600 x 900mm	Code DT.A34.03
1500 x 600 x 900mm	Code DT.A34.0 4
1800 x 600 x 900mm	Code DT.A34.05
1500 x 750 x 900mm	Code DT.A34.06
1800 x 750 x 900mm	Code DT.A34.07
1800 x 900 x 900mm	Code DT.A34.08

Poly Top Table

- Available in a variety of sizes, colours and thicknesses
- Stainless steel or aluminium frame
- · Frames fully welded
- Single bar, 3 bar or undershelf options



Poly Top 25mm Single Bar

Standard stainless :	steel frame
600 x 600 x 850m	nm Code PT.P14.01.25
900 x 600 x 850m	nm Code PT.P14.02.25
1200 x 600 x 850	mm Code PT.P14.03.25
1500 x 600 x 850	mm Code PT.P14.04.25
1900 v 600 v 950	mm Codo DT D1/ 05 25

600 x 600 x 850mm	Code PT.A14.01.25
900 x 600 x 850mm	Code PT.A14.02.25
1200 x 600 x 850mm	Code PT.A14.03.25
1500 x 600 x 850mm	Code PT.A14.04.25
1800 x 600 x 850mm	Code PT.A14.05.25

Poly Top 50mm Single Bar

Standard stainless steel t	trame
600 x 600 x 850mm	Code PT.P14.0
900 x 600 x 850mm	Code PT.P14.0
1200 v 600 v 950mm	Codo DT D14 0

1500 x 600 x 850mm Code PT.P14.04.50 1800 x 600 x 850mm Code PT.P14.05.50

600 x 600 x 850mm	Code PT.A14.01.5
900 x 600 x 850mm	Code PT.A14.02.5
1200 x 600 x 850mm	Code PT.A14.03.5
1500 x 600 x 850mm	Code PT.A14.04.5
1800 x 600 x 850mm	Code PT.A14.05.5

Poly Top 25mm **Three Bar**

Standard stainless steel from	ame
600 x 600 x 850mm	Code PT.P34.01.25
900 x 600 x 850mm	Code PT.P34.02.25
1200 x 600 x 850mm	Code PT.P34.03.25
1500 x 600 x 850mm	Code PT.P34.04.25
1800 x 600 x 850mm	Code PT.P34.05.25

Standard aluminium frame

Otaliaala alaminialii ilailio	
600 x 600 x 850mm	Code PT.A34.01.
900 x 600 x 850mm	Code PT.A34.02.
1200 x 600 x 850mm	Code PT.A34.03.
1500 x 600 x 850mm	Code PT.A34.04.
1800 x 600 x 850mm	Code PT.A34.05 .

Poly Top 50mm **Three Bar**

Standard stainless steel frame

600 x 600 x 850	mm Code	PT.P34.01.
900 x 600 x 850	mm Code	PT.P34.02.
1200 x 600 x 85	00mm Code	PT.P34.03.
1500 x 600 x 85	00mm Code	PT.P34.04.
1800 x 600 x 85	Omm Code	PT.P34.05.

Standard aluminium frame

600 x 600 x 850mm	Code PT.A34.01.50
900 x 600 x 850mm	Code PT.A34.02.50
1200 x 600 x 850mm	Code PT.A34.03.50
1500 x 600 x 850mm	Code PT.A34.04.50
1800 x 600 x 850mm	Code PT.A34.05.50

Poly Top 25mm Solid Undershelf

Standard stainless steel	frame
600 x 600 x 850mm	Code PT.P14.RUS.01.2
900 x 600 x 850mm	Code PT.P14.RUS.02.2
1200 x 600 x 850mm	Code PT.P14.RUS.03.2
1500 x 600 x 850mm	Code PT.P14.RUS.04.2

1800 x 600 x 850mm Code PT.P14.RUS.05.25

Standard aluminium frame

600 x 600 x 850mm	Code PT.A14.RUS.01.25
900 x 600 x 850mm	Code PT.A14.RUS.02.25
1200 x 600 x 850mm	Code PT.A14.RUS.03.25
1500 x 600 x 850mm	Code PT.A14.RUS.04.25
1800 x 600 x 850mm	Code PT.A14.RUS.05.25

Poly Top 50mm Solid Undershelf

Standard stainless steel frame

600 x 600 x 850mm	Code PT.P14.RUS.01.50
900 x 600 x 850mm	Code PT.P14.RUS.02.50
1200 x 600 x 850mm	Code PT.P14.RUS.03.50
1500 x 600 x 850mm	Code PT.P14.RUS.04.50
1800 x 600 x 850mm	Code PT.P14.RUS.05.50

600 x 600 x 850mm	Code PT.A14.RUS.01.50
900 x 600 x 850mm	Code PT.A14.RUS.02.50
1200 x 600 x 850mm	Code PT.A14.RUS.03.50
1500 x 600 x 850mm	Code PT.A14.RUS.04.50
1800 v 600 v 850mm	Code PT A14 PHS 05 50



Sinks

Hygiene Sinks

Knee Operated Sink

1 man	465 x 400mm	Code KS.001.01
2 man	800 x 400mm	Code KS.001.02
3 man	1200 x 400mm	Code KS.001.03
4 man	1600 x 400mm	Code KS.001.04
5 man	2000 x 400mm	Code KS.001.05
6 man	2400 x 400mm	Code KS.001.06
7 man	2800 x 400mm	Code KS.001.07
8 man	3200 x 400mm	Code KS.001.08
9 man	3600 x 400mm	Code KS.001.09
10 man	4000 x 400mm	Code KS.001.10

High back and fully skirted options available



Knee Operated Heater Sink

With 3kw water heater internal wired, fully shrouded and chamfered base. 500mm wide.







	•	•
1 man	465 x 400mm	Code \$\$.001.0
2 man	800 x 400mm	Code \$\$.001.0
3 man	1200 x 400mm	Code \$\$.001.0
4 man	1600 x 400mm	Code \$\$.001.0
5 man	2000 x 400mm	Code \$\$.001.0
6 man	2400 x 400mm	Code \$\$.001.0
7 man	2800 x 400mm	Code \$\$.001.0
8 man	3200 x 400mm	Code \$\$.001.0
9 man	3600 x 400mm	Code \$\$.001.0
10 man	4000 x 400mm	Code \$\$.001.1

High back and fully skirted options available



Rotary Handwash Sink

Sensor Heater Sink

790 x 405mm

800 x 405mm

1200 x 405mm

1600 x 405mm

2000 x 405mm

2400 x 405mm

2800 x 405mm 3200 x 405mm

3600 x 405mm

10 man 4000 x 405mm

2 man

3 man

4 man

5 man

8 man

9 man

Hexagonal 6 user knee operated 1000mm Code RHS.001.01


Hexagonal 6 user sensor operated 1000mm Code RHS.001.02

Octagonal 8 user knee operated 1200mm Code RHS.001.03

Octagonal 8 user sensor operated 1200mm Code RHS.001.04

Optional Extras/Spares

- Knee valve Code KV.001.01
- Pedestal stand Code KS.001.PS S/S soap dispenser - Code \$0.001.01
- Mixer valve Code MV.001.01
- Replacement sensor kit Code SK.001.01



Cotswold Heater

Soap Dispenser

Hygiene Sinks, Drinking Fountains & Dispensers

Abattoir Sink with optional steriliser

- · Available with integral sterilise
- · Centrally drained bowl
- Sloping base
- · Knee operated



Wall Mounted Drinking Fountain

- Wall mounted drinking fountain with smooth radiused design and top incorporating rear splashback.
- Available in two designs with either integral wall mounting brackets or half height undershroud to conceal supply and waste pipework
- . Supplied as standard with chrome plated shielded bubbler with self closing push button valve, water inlet fitting to suit $15\ \mathrm{mm}$ dia pipework and $11/4^{\circ}$ BSP unslotted flush grated waste fitting.

Integral wall brackets

Integral half height undershroud Code 462

• Lip to front

400 x 350 x 105 Code **CS.000.01**



Paper Towel Dispenser

- For folded towels
- Stainless Steel
- 290 x 100 x 365mm high

Code **PTD.01.00**



Code \$\$.H01.01

Code SS.H01.03

Code \$\$.H01.04

Code \$5,H01.05

Code **SS.H01.06**

Code \$\$.H01.08

Code \$5,H01.09

Code SS.H01.10

Single

300 x 200 x 400mm Code MPD.01.01



Multi Purpose Dispensers

• 304 Grade Stainless Steel • Vision slot

• Hinged lid

Double

600 x 200 x 400mm Code MPD.01.02



Triple

900 x 200 x 400mm Code MPD.01.03

Glove Dispensers

• 304 Grade Stainless Steel



Single

Double

Code GDD.01.01

Triple

Code GDT.01.01

Centre Pull Roll Holder

- Stainless Steel body
- 200 x 215 x 370mm high

Code CPRH.01.00



Soap Dispenser Code **SD.01.00**

No-touch Soap Dispenser

- Total hygiene: no manual contact: infrared cell detects hands automatically
- Wall-mounted electronic liquid soap dispenser
- 1 litre capacity
- · Suitable for liquid soap or hydroalcoholic gel
- 304 grade 1mm thick stainless steel cover
- No waste pump dispenser
- 6 x AA 1.5V (DC9V) batteries supplied integrated in dispenser body
- · Soap level window
- 90 x 105 x 256mm high

Code SD.NT.00





Sensor Kit



Knife Sterilisers

200mm x 125mm x 648mm 380mm x 125mm x 648mm Code **SU.K01.02** 12 knife 20 knife 580mm x 125mm x 648mm Code SU.K01.03

- 304 grade stainless stee
- Smooth finish

Sinks

- Element with integral thermostat
- Removable knife cradle
- Optional drop on lid

Lids

Drop on lid for 6 knife steriliser Drop on lid for 12 knife steriliser Code SL.002 Drop on lid for 20 knife steriliser Code SL.003



Belfast Sink High Back 350mm

Bowl Depth - 450mm 910 x 750 x 850mm

1160 x 750 x 850mm Code BS.002.350 1410 x 750 x 850mm Code **BS.003.350** 1910 x 750 x 850mm Code **BS.004.350** Bowl Depth - 600mm

Code BS 001.351 910 x 750 x 850mm

1160 x 750 x 850mm Code BS.002.351 1410 x 750 x 850mm Code **BS.003.351** 1910 x 750 x 850mm Code **BS.004.351**

Code BS.001.350

Double Bowl Belfast Sink

High Back 350mm

Bowl Depth - 450mm 1410 x 750 x 850mm Code **BSD.001.450**

1910 x 750 x 850mm Code **BSD.002.450** Bowl Denth - 600mm

1410 x 750 x 850mm Code BSD.001.600 1910 x 750 x 850mm Code **BSD.002.600**

Bowl Depth - 450mm

910 x 750 x 850mm Code BS.001.147 1160 x 750 x 850mm Code BS.002.147 1410 x 750 x 850mm Code **BS.003.147** 1910 x 750 x 850mm Bowl Depth - 600mm

910 x 750 x 850mm

Code BS.001.148 1160 x 750 x 850mm Code BS.002.148 1410 x 750 x 850mm Code **BS.003.148** 1910 x 750 x 850mm Code **BS.004.148**

Triple Bowl Belfast Sink

High Back 350mm

Bowl Depth - 450mm 1910 x 750 x 850mm Code **BST.001.450**

Bowl Depth - 600mm

1910 x 750 x 850mm Code **BST.001.600**

• Centre dividing plate c/w extra outlet

Drainer to LHS or RHS of Belfast Sink

Extras for Belfast Sink

• Removable small bowl to be located in Belfast Sink



Chest Sterilisers

- 304 or 316 grade construction.
- Removable inserts to suit your application. • Robust and hygienic construction.
- · Electrical panel with temperature control.
- . Size to suit your application.

Spares

Spare element for knife steriliser, 6 knife Spare element for knife steriliser, 12 knife Code \$1.005 Spare element for knife steriliser, 20 knife Code \$L.006 Spare thermostat for knife steriliser Code **\$L.007**





1000 x 1030 x 550mm

Code USC.001.01



See page 58 for tap selection





1145 x 520 x 505mm Single tap Code US.001.01 Code US.001.02

Single Bowl







Double Bowl

	og.o za.		
1500 x 600 (400 x 400 double bowl)	Code CS.001.04	CST.001.04	CSS.001.04
1800 x 650 (610 x 457 double bowl)	Code CS.001.09	CST.001.09	CSS.001.09
2400 X 650 (610 x 457 double bowl)	Code CS.001.10	CST.001.10	CSS.001.10
3000 x 650 (610 x 457 double bowl)	Code CS.001.11	CST.001.11	CSS.001.11
1800 x 700 (610 x 457 double bowl)	Code CS.001.15	CST.001.15	CSS.001.15
2400 x 700 (610 x 457 double bowl)	Code CS.001.16	CST.001.16	CSS.001.16

Other Bowl sizes available Contact us for more info

For Taps and Accessories see page 58

Three bar Solid Shelf





Pot Racks - Four Legs

1829mm long

-083
50mm w 1530mm h 4 shelf
Code PR.001.01
Code PR.001.02
Code PR.001.03
Code PR.001.04
Code PR.001.05
00mm w 1530mm h 4 shelf
Code PR.002.01
Code PR.002.02
Code PR.002.03
Code PR.002.04
Code PR.002.05
3 450mm w 1530mm h 4 shelf
Code PR.003.01
Code PR.003.02
Code PR.003.03
Code PR.003.04
Code PR.003.05
600mm w 1530mm h 4 shelf
Code PR.004.01
Code PR.004.02
Code PR.004.03
Code PR.004.04





Pot Racks - Six Le	gs
Aluminium 38 x 38mm RHS 45	0mm w 1530mm h 4 shelf
1829mm long	Code PR.A61.01
2134mm long	Code PR.A61.02
2438mm long	Code PR.A61.03
2743mm long	Code PR.A61.04
3048mm long	Code PR.A61.05
Aluminium 38 x 38mm RHS 60	0mm w 1530mm h 4 shelf
1829mm long	Code PR.A61.06
2134mm long	Code PR.A61.07
2438mm long	Code PR.A61.08
2743mm long	Code PR.A61.09
3048mm long	Code PR.A61.10
Stainless steel 30 x 30mm RHS	450mm w 1530mm h 4 shelf
1829mm long	Code PR.S61.01
2134mm long	Code PR.S61.02
2438mm long	Code PR.S61.03
2743mm long	Code PR.S61.04
3048mm long	Code PR.S61.05
Stainless steel 30 x 30mm RHS	600mm w 1530mm h 4 shelf
1829mm long	Code PR.S61.06
2134mm long	Code PR.S61.07
2438mm long	Code PR.S61.08
2743mm long	Code PR.S61.09
3048mm long	Code PR.S61.10

Mobile Versions Available

Static Reel Holder

304 grade stainless steel construction Static on adjustable feet

Pitch between prongs 316.3mm horizontal, 260mm vertical

- Mobile on castors
- 316 grade stainless steel

15 reels – 698mm wide x 600mm deep x 1555mm high Code RH.001.01

20 reels – 1014mm wide x 600mm deep x 1555mm high Code RH.001.02

25 reels - 1330mm wide x 600mm deep x 1555mm high Code RH.001.03



Adjustable Racking

- 304 grade stainless steel
- Leg sets and shelves available separately
- Infinite combinations to suit your requirements Legs and shelves manufactured to your requirements
- Shelves can be solid or perforated

1 Bay 4 Shelves

(length x width)	4 Solid Shelves	4 Perforated Shell
960 x 600mm	Code ARS.001.01	ARP.001.01
1200 x 600mm	Code ARS.001.02	ARP.001.02
1460 x 600mm	Code ARS.001.03	ARP.001.03

2 Bay 8 Shelves

(length x width)	8 Solid Shelves	8 Perforated Shelv
1920 x 1200mm	Code ARS.002.01	ARP.002.01
2400 x 1200mm	Code ARS.002.02	ARP.002.02
2920 x 1200mm	Code ARS.002.03	ARP.002.03

3 Bay 12 Shelves

(length x width)	12 Solid Shelves	12 Perforated Shelve
2880 x 1800mm	Code ARS.003.01	ARP.003.01
3600 x 1800mm	Code ARS.003.02	ARP.003.02
2380 x 1800mm	Code ARS.003.03	ARP.003.03



Wall Shelf 1 Tier

Single solid sheet shelf with r	mounting brackets 300mm
400mm long	Code WS.ST.00.01
600mm long	Code WS.ST.00.02
900mm long	Code WS.ST.00.03
1200mm long	Code WS.ST.00.04
1500mm long	Code WS.ST.00.05
1800mm long	Code WS.ST.00.06
Single solid sheet shelf with r	mounting brackets 400mm
400mm long	Code WS.ST.00.07
600mm long	Code WS.ST.00.08
900mm long	Code WS.ST.00.09
1200mm long	Code WS.ST.00.10
1500mm long	Code WS.ST.00.11
1800mm long	Code WS.ST.00.12

Wall Shelf 2 Tier

2 tier solid sheet shelf with	th mounting brackets 300mm wide
400mm long	Code WS.ST.02.01
600mm long	Code WS.ST.02.02
900mm long	Code WS.ST.02.03
1200mm long	Code WS.ST.02.04
1500mm long	Code WS.ST.02.05
1800mm long	Code WS.ST.02.06
2 tier solid sheet shelf with	th mounting brackets 400mm wide
400mm long	Code WS.ST.02.07
600mm long	Code WS.ST.02.08
900mm long	Code WS.ST.02.09
1200mm long	Code WS.ST.02.10
1500mm long	Code WS.ST.02.11
1800mm long	Code WS.ST.02.12

Wall Shelf 3 Tier

3 tier solid sheet shelf with n	nounting brackets 300mm wide
400mm long	Code WS.ST.03.01
600mm long	Code WS.ST.03.02
900mm long	Code WS.ST.03.03
1200mm long	Code WS.ST.03.04
1500mm long	Code WS.ST.03.05
1800mm long	Code WS.ST.03.06
3 tier solid sheet shelf with n	nounting brackets 400mm wide
400mm long	Code WS.ST.03.07
600mm long	Code WS.ST.03.08
900mm long	Code WS.ST.03.09
1200mm long	Code WS.ST.03.10
1500mm long	Code WS.ST.03.11
1800mm long	Code WS.ST.03.12



Angled Display Shelves with mesh grids

600mm long 1 display basket	Code DU.MG1.0
800mm long 2 display baskets	Code DU.MG1.02
1200mm long 3 display baskets	Code DU.MG1.03
1600mm long 4 display baskets	Code DU.MG1.04

Racks

Bacon Freezer Rack

- \bullet For the efficient freezing of raw/cooked product within a high risk environment
- Tubular runged shelves allow maximum airflow and minimum contact
- Easy to manoeuvre, even when fully loaded
- Available in a variety of shelf clearances

Pallet Base

3 shelf and base	Code PB.001.03
4 shelf and base	Code PB.001.04
5 shelf and base	Code PB.001.05
6 shelf and base	Code PB.001.06
7 shelf and base	Code PB.001.07
8 shelf and base	Code PB.001.08

Roller Bogie Base

3 shelf and base	Code RBB.001.03
4 shelf and base	Code RBB.001.04
5 shelf and base	Code RBB.001.05
6 shelf and base	Code RBB.001.06
7 shelf and base	Code RBB.001.07
8 shelf and base	Code RBB.001.08

Swivel or Fixed Castor Base

3 shelf and base	Code CB.001.0
4 shelf and base	Code CB.001.0
5 shelf and base	Code CB.001.0
6 shelf and base	Code CB.001.0
7 shelf and base	Code CB.001.0
8 shelf and base	Code CB.001.0



Offal Rack

Aluminium 3 Level 52 Hooks	Code ORA.001.0
Stainless Steel 3 Level 52 Hooks	Code ORS.001.0
Aluminium 4 Level 68 Hooks	Code ORA.001.0
Stainless Steel 4 Level 68 Hooks	Code ORS.001.0

- . Designed for the storage of raw offal.
- "A" frame design and staggered double hooks ensures optimum utilisation of space.
- Hygienic fully welded construction ideal for steam cleaning.
- Easy to manoeuvre, even when fully loaded.
- Other sizes are available

Removable drip tray for quick and easy cleaning.

TECHNICAL SPECIFICATIONS

Aluminium or stainless steel Double Hooks Robust construction 3/4 hanging levels.

Roller bogie base including nylon wheels. 10mm Ø hook aluminium 8mm ø hook stainless steel.





Bakery Display Rack Single

Single 810l x 475w x 1220h Code **DU.RS1.01**

- Optional sloping or straight display shelves
- Manufactured from 304 grade stainless steel
- Horizontal or angled baskets
- Crumb catchment tray beneath



Triple 2430l x 475w x 1220h Code **DU.RS1.03**

Made from 304 grade stainless steel

• Optional sloping or straight display shelves • Angled or sloping baskets

Catering Trolleys

Catering Trolleys

- 304 grade stainless steel.
- Tubular frame.

General Purpose Trolleys

Shelves	700 x 500 x 950	Code SW6 X 4-2
Shelves	700 x 500 x 950	Code SW6 X 4-3
2 Shelves	900 x 600 x 950	Code SW8 X 5-2
Shelves	900 x 600 x 950	Code SW8 X 5-3
Shelves	900 x 600 x 1290	Code SW8 X 5-4
Shelves	900 x 600 x 1290	Code SW8 X 5-5
Shelves	1000 x 650 x 950	Code SW9 X 6-2
Shelves	1000 x 650 x 950	Code SW9 X 6-3
Shelves	1000 x 650 x 1290	Code SW9 X 6-4
2 Shelves	1100 x 700 x 1000	Code SW10 X 6-2
Shelves	1100 x 700 x 1000	Code SW10 X 6-3
Shelves	1100 x 700 x 1350	Code SW10 X 6-5
Shelves	1100 x 700 x 1350	Code SW10 X 6-5





Oven Rack

- 304 or 316 grade stainless steel
- Fully welded construction
- Roller bogie or swivel castor options
- Size and levels to suit your application
- Designed for high temperature cooking

Smoking Racks

- 304 or 316 grade stainless steel
- Fully welded construction Roller bogie or swivel castor options
- Size and levels to suit your application

We also supply stainless steel and aluminium

smoking sticks





- Stainless steel, Aluminium or Mild steel
- · Variety of runner options
- . Extensive range of castors and wheels • Solid tops and bases available
- Locking gates
- Wire mesh or sheet cladding

Heavy Duty Trolley and Trays

- Made from 304 grade stainless steel
- Typically used for rice/product cooling • Manufactured from 40mm x 40mm box section
- Complete with 2 fixed and 2 swivel 4" white nylon wheels with stainless steel housings
- 20mm x 20mm box section internal rear stop bar







· Crumb catchment tray beneath

Trolleys



Gastronorm Trolley with Zinc Swivel Wheels

- Supplied with zinc housed 4" white nylon wheels.
- Made from 304 stainless steel.
- Designed for gastronorm trays up to a maximum capacity of 15kg per level.
- \bullet Ideal for storage, chilling, drainage or cooking applications.
- Runners are designed to support trays with their rims without scarfing.
- Highly manoeuvrable under loaded conditions.
- Unitech offer an extensive range of gastonorm trays to suit all applications.

600 x 700 x 1795 (L x W x H)

10 LEVEL Code TR.WO.01 12 LEVEL Code TR.WO.02 14 LEVEL Code TR.W0.03 15 LEVEL Code TR.W0.04 16 LEVEL Code TR.W0.05 18 LEVEL Code TR.W0.06 20 LEVEL Code TR.W0.07 22 LEVEL Code TR.W0.08

Options

Solid base

Lift up gate to front round bar or box section Solid top

Stainless housings Phenolic zinc Phenolic stainless Rubber wheel zinc Rubber wheel S/S

Back Stop

Bakery Trolley

Trolleys

- Highly manoeuvrable under loaded conditions.
- · Suitable for storage display and cooling of bakery products, baking and cooking.
- Unitech offer an extensive range of bakery trays to suit all applications.

TECHNICAL SPECIFICATIONS

- Made from 304 stainless steel.
- 12/16/18/20 levels.
- 762mm x 457mm trays.
- 25mm wide runners on various pitches.
- Tray access from either end.
- Swivel castors

Lift up gate to front round bar or box section Solid top Solid base Stainless housings Phenolic zinc

Rubber wheel zinc Rubber wheel S/S Back Stop



A Wide Variety Of Wheels and Castors are also available



"Eco"Stainless Steel Bakery Trolley 12 LEVEL Code BB.TR.03

16 LEVEL Code BB.TR.04 18 LEVEL Code BB.TR.05 20 LEVEL Code BB.TR.06

12 LEVEL Code BB.TR.07 16 LEVEL Code BB.TR.08 18 LEVEL Code BB.TR.09 20 LEVEL Code BB.TR.10


"Brut" Heavy Duty Bakery Trolley

Gastronorm Tray Range

Gastronorm Tray Ranges


- Used extensively in the food and catering industries for applications of cooking, chilling and serving.
- Robust and lightweight and manufactured to a hygienic design that ensures ease of cleaning.
- Wide range of sizes and depths available to meet customer requirements. Various types of handles,





Trays

1/3



We also manufacture a wide variety of trays to suit your application

Lockable Stainless Steel Welly Racks

- · Ideal for storage.
- Wide variety of specifications.
- . Wall mounted, mobile and double sided.

Wall Mounted Welly Racks

10 PAIR	600mm x 520mm x 1670mm	Code WR.WS1.10
15 PAIR	600mm x 765mm x 1670mm	Code WR.WS1.15
20 PAIR	600mm x 1010mm x 1670mm	Code WR.WS1.20
25 PAIR	600mm x 1255mm x 1670mm	Code WR.WS1.25
30 PAIR	600mm x 1500mm x 1670mm	Code WR.WS1.30

Static Lockable Welly Racks (Single Sided)

10 PAIR	600mm x 520mm x 1670mm	Code WR.SS1.10
15 PAIR	600mm x 765mm x 1670mm	Code WR.SS1.15
20 PAIR	600mm x 1010mm x 1670mm	Code WR.SS1.20
25 PAIR	600mm x 1255mm x 1670mm	Code WR.SS1.25
30 PAIR	600mm x 1500mm x 1670mm	Code WR.SS1.30

Static Lockable Welly Racks (Double Sided)

10 PAIR	600mm x 520mm x 1670mm	Code WR.SS1.D10L
15 PAIR	600mm x 765mm x 1670mm	Code WR.SS1.D15L
20 PAIR	600mm x 1010mm x 1670mm	Code WR.SS1.D20L
25 PAIR	600mm x 1255mm x 1670mm	Code WR.SS1.D25L
30 PAIR	600mm x 1500mm x 1670mm	Code WR.SS1.D30L

Mobile Lockable Welly Racks (Single Sided)

10 PAIR	600mm x 520mm x 1670mm	Code WR.MS1.10L
15 PAIR	600mm x 765mm x 1670mm	Code WR.MS1.15L
20 PAIR	600mm x 1010mm x 1670mm	Code WR.MS1.20L
25 PAIR	600mm x 1255mm x 1670mm	Code WR.MS1.25L
30 PAIR	600mm x 1500mm x 1670mm	Code WR.MS1.30L



Mobile Lockable Welly Racks (Double Sided)

10 PAIR	600mm x 520mm x 1670mm	Code WR.MS1.D10L
15 PAIR	600mm x 765mm x 1670mm	Code WR.MS1.D15L
20 PAIR	600mm x 1010mm x 1670mm	Code WR.MS1.D20L
25 PAIR	600mm x 1255mm x 1670mm	Code WR.MS1.D25L
30 PAIR	600mm x 1500mm x 1670mm	Code WR.MS1.D30L

Heated Boot Dryers



Heated Boot Dryer

- Manufactured from 304 grade stainless steel
- Mains powered to blow warm air into boots
- Available as 20 pair or 30 pair units
- 230v, single phase, 50Hz • 1700mm high x 600mm deep.

20 pair 1002mm wide. Code **HBD.00.01.** 30 pair 1426mm wide. Code **HBD.00.02.**

Aluminium & Stainless Steel Welly Racks

- Ideal for storage
- Wide variety of specifications.
- Wall mounted, mobile and double sided.
- Welly rack frame made from box section aluminium or stainless steel.
- ully welded at all joints for hygiene complete with individual plastic end caps



Wall Mounted Welly Racks

		Aluminium	Stainless Steel
10 PAIR	310mm x 426mm x 1330mm	Code WR.WA1.10	Code WR.WS1.10
15 PAIR	310mm x 640mm x 1330mm	Code WR.WA1.15	Code WR.WS1.15
20 PAIR	310mm x 853mm x 1330mm	Code WR.WA1.20	Code WR.WS1.20
25 PAIR	310mm x 1067mm x 1330mm	Code WR.WA1.25	Code WR.WS1.25
30 PAIR	310mm x 1280mm x 1330mm	Code WR.WA1.30	Code WR.WS1.30

Mobile Single Sided Welly Racks

			01 : 1
		Aluminium	Stainless Steel
10 PAIR	600mm x 426mm x 1668mm	Code WR.MA1.10	Code WR.MS1.10
15 PAIR	600mm x 640mm x 1668mm	Code WR.MA1.15	Code WR.MS1.15
20 PAIR	600mm x 853mm x 1668mm	Code WR.MA1.20	Code WR.MS1.20
25 PAIR	600mm x 1067mm x 1668mm	Code WR.MA1.25	Code WR.MS1.25
30 PAIR	600mm x 1280mm x 1668mm	Code WR.MA1.30	Code WR.MS1.30

Mobile Double Sided Welly Racks

		Aluminium	Stainless Steel
10 PAIR	980mm x 426mm x 1668mm	Code WR.MA1.D10	Code WR.MS1.D10
15 PAIR	980mm x 640mm x 1668mm	Code WR.MA1.D15	Code WR.MS1.D15
20 PAIR	980mm x 853mm x 1668mm	Code WR.MA1.D20	Code WR.MS1.D20
25 PAIR	980mm x 1067mm x 1668mm	Code WR.MA1.D25	Code WR.MS1.D25
30 PAIR	980mm x 1280mm x 1668mm	Code WR.MA1.D30	Code WR.MS1.D30


Static Single Sided Welly Racks

		Aluminium	Stainless Steel
10 PAIR	600mm x 426mm x 1668mm	Code WR.SA1.10	Code WR.SS1.10
15 PAIR	600mm x 640mm x 1668mm	Code WR.SA1.15	Code WR.SS1.15
20 PAIR	600mm x 853mm x 1668mm	Code WR.SA1.20	Code WR.SS1.20
25 PAIR	600mm x 1067mm x 1668mm	Code WR.SA1.25	Code WR.SS1.25
30 PAIR	600mm x 1280mm x 1668mm	Code WR.SA1.30	Code WR.SS1.30

Static Double Sided Welly Racks

		Aluminium	Stainless Steel
10 PAIR	980mm x 426mm x 1668mm	Code WR.SA1.D10	Code WR.SS1.D10
15 PAIR	980mm x 640mm x 1668mm	Code WR.SA1.D15	Code WR.SS1.D15
20 PAIR	980mm x 853mm x 1668mm	Code WR.SA1.D20	Code WR.SS1.D20
25 PAIR	980mm x 1067mm x 1668mm	Code WR.SA1.D25	Code WR.SS1.D25
30 PAIR	980mm x 1280mm x 1668mm	Code WR.SA1.D30	Code WR.SS1.D30







- **Garment Dispenser** All are supplied with cam or hasp
- and staple locks • 304 grade stainless steel
- · Compartments individually lockable
- Can be louvred for air circulation
- Sloping roof option Master door to front or rear

S/S Garment Dispenser

Dispensers

Photo on right shows rear master door

10 door 400 x 405 x 1990mm code GD.001.01 15 door 400 x 405 x 1990mm code GD.001.02 45 door 1050 x 450 x 1990mm code **GD.001.03**









Available in a variety of configurations, please call to arrange a visit or discuss your requirements.



Stainless Steel Lockers

- Manufactured from 304 stainless sheet.
- Compartments individually lockable.
- May be louvered for air circulation. • Sloping roof.
- Variety of door arrangements.
- Optional Combination or Coin locks.
- . All supplied with cam or hasp & staple locks.

1 compartment 1990 x 342 x 405	Code UL.001.01
2 compartment 1990 x 342 x 405	Code UL.001.02
3 compartment 1990 x 342 x 405	Code UL.001.03
4 compartment 1990 x 342 x 405	Code UL.001.04
2 compartment 1990 x 628 x 405	Code UL.001.05
4 compartment 1990 x 628 x 405	Code UL.001.06
6 compartment 1990 x 628 x 405	Code UL.001.07
8 compartment 1990 x 628 x 405	Code UL.001.08
3 compartment 1990 x 914 x 405	Code UL.001.09
6 compartment 1990 x 914 x 405	Code UL.001.10
9 compartment 1990 x 914 x 405	Code UL.001.11
12 compartment 1990 x 914 x 405	Code UL.001.12
4 compartment 1990 x 1200 x 405	Code UL.001.13
8 compartment 1990 x 1200 x 405	Code UL.001.14
12 compartment 1990 x 1200 x 405	Code UL.001.15
16 compartment 1990 x 1200 x 405	Code UL.001.16



Colour Coded Lockers



Colour Coded Lockers

- · Mild steel painted.
- Compartments individual lockable.
- . Sloping roof optional. Variety of door arrangements.
- Locks available.

Lock Types

















Type D -Digital Combination

Type E - Coin

Wire Mesh Lockers



Wire Mesh Locker

- · Bright zinc plated
- Hasp and staple lock
- Double and triple options available Various compartment options available

• 25mm x 25mm pitch

• 6mm Ø outer frame • 2.5mm Ø mesh

Locker Benches



4 Leg Single Bar Underframe Bench

920 x 400 x 450mm Code LB.1B1.01 Code **LB.1B1.02** 1170 x 400 x 450mm 1420 x 400 x 450mm Code LB.1B1.03 1920 x 400 x 450mm Code LB.1B1.04

• 304 grade stainless steel

Benches

- · Available with shoe storage beneath
- Complete with adjustable feet

4 Leg Triple Bar Underframe Bench

920 x 400 x 450mm Code LB.1B3.01 Code LB.1B3.02 1170 x 400 x 450mm 1420 x 400 x 450mm Code LB.1B3.03 1920 x 400 x 450mm Code LB.1B3.04

- 304 grade stainless steel
- · Available with shoe storage beneath
- Complete with adjustable feet



6 Leg Single Bar Underframe

2420 x 400 x 450mm Code LB.1B2.01 2920 x 400 x 450mm Code LB.1B2.02

- 304 grade stainless steel
- Available with shoe storage beneath
- · Complete with adjustable feet

6 Leg Triple Bar Underframe

2420 x 400 x 450mm Code LB.1B4.01 2920 x 400 x 450mm Code LB.1B4.02

- 304 grade stainless steel
- Available with shoe storage beneath
- · Complete with adjustable feet

Locker Bench with Shoe Storage





1200mm long, 1 tier, 5 compartments	Code LBSS.00.01
1200mm long, 2 tier, 5 compartments	Code LBSS.00.02
1500mm long, 1 tier, 6 compartments	Code LBSS.00.03
1500mm long, 2 tier, 12 compartments	Code LBSS.00.04
1800mm long, 1 tier, 7 compartments	Code LBSS.00.05
1800mm long, 2 tier, 14 compartments	Code LBSS.00.06
2000mm long, 1 tier, 8 compartments	Code LBSS.00.07
2000mm long, 2 tier, 16 compartments	Code LBSS.00.08
2500mm long, 1 tier, 10 compartments	Code LBSS.00.09
2500mm long, 2 tier, 20 compartments	Code LBSS.00.10

- 304 grade stainless steel
- Shoe storage compartments Complete with adjustable feet
- 350mm deep

Shoe Storage



Bolt Down Box Section Rack


Made from 304 stainless steel.

• Fully welded. 6mm ø bar dividers

- Hygienic design.
- 8 level.

185 x 1974mm (Deep x High)

8 PAIR	364mm Long	Code SR.001.01
16 PAIR	648mm Long	Code SR.001.02
24 PAIR	932mm Long	Code SR.001.03
32 PAIR	1216mm Long	Code SR.001.04
40 PAIR	1500mm Long	Code SR.001.05





WALL MOUNTED		STATIC SII	NGLE SIDED	STATIC DOUBLE SIDED	
4 PAIR	Code SR.002.01	8 PAIR	Code SR.003.01	24 PAIR	Code SR.004.01
8 PAIR	Code SR.002.02	12 PAIR	Code SR.003.02	32 PAIR	Code SR.004.02
12 PAIR	Code SR.002.03	16 PAIR	Code SR.003.03	40 PAIR	Code SR.004.03
16 PAIR	Code SR.002.04	20 PAIR	Code SR.003.04	48 PAIR	Code SR.004.04
20 PAIR	Code SR.002.05	24 PAIR	Code SR.003.05	72 PAIR	Code SR.004.05
24 PAIR	Code SR.002.06	36 PAIR	Code SR.003.06		
36 PAIR	Code SR.002.07				











Various Lockable Solutions Available Call for details

Pigeon Hole Shoe Racks

- Made from 304 stainless steel
- Sheet construction. Adjustable feet.
- Sloping top.

10 PAIR	560 x 350 x 1700mm	Code SRP.001.0 1
15 PAIR	840 x 350 x 1700mm	Code SRP.001.0 2
20 PAIR	1120 x 350 x 1700mm	Code SRP.001.0 3
30 PAIR	1680 x 350 x 1700mm	Code SRP.001.04

Coat and Protective Clothing Racks

MANAMA

Laser Cut Coat Hooks

	Staggered	Non Staggere
10 HOOK	Code CR.S01.01	Code CR.NS1.0
20 HOOK	Code CR.S01.03	Code CR.NS1.0

- Laser cut from 2.5mm stainless steel satin polished sheet.
- Pre-drilled for wall mounting.

Racks

Vinyl numbers can be supplied.

Options

Electropolished

Powder coated in various colours (red, blue, green or white).



Slatted Locker Bench with Hat Stand

 1000mm long
 Code LBHS.00.01

 1500mm long
 Code LBHS.00.02

 2000mm long
 Code LBHS.00.03

 2500mm long
 Code LBHS.00.04

 3000mm long
 Code LBHS.00.05

- 304 grade stainless steel frame.
- Composite slatted seat and partition.
 Stainless steel hat stand and coat books.
- Adjustable feet.





Bespoke PPE Storage

Wall Mounted Shelf & Coat Rail



Coat Rail with Single Shelf

1500mm long with 30 Hangers Code SCR.00.01 2000mm long with 40 Hangers Code SCR.00.02 3000mm long with 60 Hangers Code SCR.00.03



Coat Rail with Double Shelf

1500mm long with 30 Hangers Code SCR.00.01D 2000mm long with 40 Hangers Code SCR.00.02D 3000mm long with 60 Hangers Code SCR.00.03D

Bathroom Additions

Bowl Urinal

- Manufactured in one piece in 304 grade satin finish stainless steel.
- Integral shroud suits locations with exposed surface mounted waste ninework
- Vandal resistant design.
- Integral shroud.
- Hygienic one-piece construction
- Easily and quickly installed at adult or junior height.
- Supplied with a flush grated waste fitting, spreader assembly and water inlet connector.

Code **072**

Options

- Available as single bowl or in a range form of 1, 2 or 3 urinals.
- Range urinals supplied with automatic cistern, flushpipe and feedpipes.
- · Stainless steel wall divider panel.
- Stainless steel automatic cistern.

TECHNICAL SPECIFICATIONS

Supplied with 32mm (11/4") BSP flush grated waste fitting. Water inlet fitting to suit 15m diameter pipework.

Recommended mounting height – 1800mm (minimum) to 2000mm (maximum).



Manual Stainless Steel Cistern

- Manual 7.5 litre stainless steel SISO cistern for exposed surface mounting.
- Supplied with syphon, float operated valve and stainless steel flushpipe.
- Low level operated by CP front lever with restricted travel, high level
 has side lever with chain pull.

nao orao rovor with t

Code 132



Back to Wall WC Pan

- Squating WC pan supplied with back inlet flushing terminal.
- WC pan can be used with optional high level manual stainless steel or plastic cisterns.

Code **112**

Stainless Steel WC Pans



Close Coupled WC Suite

- WC suite incorporates a 7.5 litre concealed BIBO cistern, housed within a stainless steel enclosure, operated by a CP front lever with restricted travel.
- WC pan has removable access panels, horizontal outlet and is supplied with inlet connector and concealed floor fixing plate.
- WC pan can be converted to vertical outlet using optional WCC90 connector.

 WC suite can be adapted for use by disabled people by using

optional DOCM fitting kit.
Code 091



Wall Hung WC Pan

- WC pan supplied with inlet connector and four M12 x 150mm long bolts to suit walls up to 118mm thick.
- For non-load bearing walls optional support brackets are available.

Code 101



Back to Wall WC Pan

- With vertical outlet.
- WC pan has removable access panels and is supplied with inlet connector, concealed floor fixing plate and four M12 x 150mm long bolts to suit walls up to 118mm thick.

Code 103



Back to Wall WC Pan

- With horizontal outlet.
- WC pan supplied with inlet connector, concealed floor fixing plate and four M12 x 150mm long bolts to suit walls up to 118mm thick.

Code 102

Stainless Steel Urinals

• Integral return ends for either wall or free standing installations.

• 2" BSP dome grated waste fitting.

• Concealed sparge pipes with either a top (TE) or back (BE) entry connection.

Wall Hung Trough Urinal

Sloping sides.

Standard Length	Cistern Capacity	
1200mm	1 x 9.0 litre	Code WHTU.001
1500mm	1 x 13.65 litre	Code WHTU.002
1800mm	1 x 13.65 litre	Code WHTU.003
2100mm	1 x 13.65 litre	Code WHTU.004
2400mm	1 x 13.65 litre	Code WHTU.005



Wall Hung Trough Urinal

• Non-standard lengths can be supplied.

Standard Length	Cistern Capacity	
1200mm	1 x 9.0 litre	Code WHTU.006
1800mm	1 x 13.65 litre	Code WHTU.007
2400mm	1 x 13.65 litre	Code WHTU.008
3000mm	1 x 13.65 litre	Code WHTU.009



Floor Recessed Slab Urinal

• Non-standard lengths can be supplied.

Standard Length	Cistern Capacity	
1200mm	1 x 9.0 litre	Code FRSU.001
1800mm	1 x 13.65 litre	Code FRSU.002
2400mm	1 x 13.65 litre	Code FRSU.003
3000mm	2 x 9.00 litre	Code FRSU.004



Floor Standing Slab Urinal

• Non-standard lengths can be supplied.

Standard Length	Cistern Capacity	
1200mm	1 x 9.0 litre	Code FSSU.001
1800mm	1 x 13.65 litre	Code FSSU.002
2400mm	1 x 13.65 litre	Code FSSU.003
3000mm	2 x 9 00 litre	Code FSSU 004

Automatic Cistern

Capacities

4.5 litre Code AC.001 Code AC.002 9.0 litre 13.65 litre Code AC.003



Pedal Bin

- Manufactured in 304 grade stainless steel.
- Foot operated pedal bin.
- Complete with bag clamping band 500 x 400 x 800 (L x W x H)

Pedal bin with lid Code PB.L01.01

Shrouded Pedal Bin

- Manufactured in 304 grade stainless steel.
- Foot operated pedal bin.
- With lid.
- Complete with bag clamping band 500 x 400 x 800 (L x W x H)

Shrouded pedal bin Code PB.S01.01



Wall Mounted Bin Rings

Pedal Bins



Wall Mounted Bag Holders

- Ring only or wall mounted with lid.
- 350mm diameter
- Complete with bag clamping band

Wall mounted bin rings with lid Code BH.WM1.01 Wall mounted bin rings without lid Code BH.WM1.02







Sprung Bag Holder

- Manufactured in 304 grade stainless steel.
- Pedestal pattern.
- · Various sizes of bag can be accommodated

500 x 300 x 880 (L x W x H) Sprung bag holder Code BH.S01.01

Waste Bag Holder

- Manufactured in 304 grade stainless steel
- Free standing. • Individual bag clamping bands
- 800mm high

Waste bag holder Code BH.001.00





Flip Top Bin

- 304 grade stainless steel
- Swing lid
- Removable top Adjustable feet
- Fully enclosed

400 x 400 x 800mm high (L x W x H) Code BI.FT1.01 300 x 300 x 600mm high (L x W x H) Code BI.FT1.02



Boot Washers

TECHNICAL SPECIFICATIONS Made from 304 stainless steel

Base size: 760 x 645mm.

• 2 vertical brushes for cleaning the body of the boot.

• Detergent injector - regulation: between 1 and 7.5%.

• 1 horizontal brush for cleaning the sole.

Upright 3 Brush

- The boot cleaning (side and sole) is done by the action of turning lateral and horizontal brushes and by the mixing of water and detergent.
- . Access and easy cleaning of the machine by a complete opening of the front.
- Seperate wet and electrical compartments
- Dismantling without tools for easy cleaning of the brushes and the sump.
- . Supplied with detergent injector for the disinfection product.

Standard Boot Washer Boot Washer with Toe Cleaner Code BW-M-0-3B-TC

Code RW-M-0-3R




Clog Washer

Clog Washer

- . Dismantling without tools for ease of cleaning
- · Separate wet and electrical compartments
- · Supplied with detergent injector
- Water supply 3 bar
- Base size 755 x 640mm

6 Brush with Turnstile





6 Brush Bootwasher with Turnstile

- Photoelectric switch at each end.
- . Created for continuous passage, the machine can be installed in a place which makes its use obligatory.
- The boot and the sole cleaning is done by the combined action of:

The turning lateral brushes for cleaning the side

The turning horizontal brushes for the sole. Water jets.

- The forward movement of the user
- . Dismantling without tools for easy cleaning of
- · Seperate wet and electrical compartments. . Supplied with detergent injector for the
- disinfection product.

Code BW-A-T-6B-TS

TECHNICAL SPECIFICATIONS

- Matt finish.
- . 4 inclined brushes for cleaning the body of the boot
- . 2 horizontal brushes for cleaning the sole of the boot.
- Base size: 2850 x 950mm

Two Way Solewasher

2 Way Solewasher

- · Created for continuous passage, the machine can be installed in a place which makes its use obligatory.
- The sole cleaning is done by the action of 2 horizontal turning brushes and the mixing of water and detergent.
- . Dismantling without tools for easy cleaning of the brushes and the sump.
- · Supplied with detergent injector for the disinfection product.

TECHNICAL SPECIFICATIONS

- . Made from 304 stainless steel.
- 2 horizontal brushes for cleaning the sole. Detergent injector - regulation: between 1 and 7.5%
- Base size: 2540 x 840mm.

Walk Through Bootwashers

Fixed Side Brush

- Created for continuous passage, the machine can be installed in a place which makes its use obligatory

. The boot and the sole cleaning is done by the combined action of: The fixed lateral brushes for cleaning the side of the boot. Water iets.

The forward movement of the user

- . Dismantling without tools for easy cleaning of the brushes and the sump.
- · Seperate wet and electrical compartments. · Supplied with detergent injector for
- the disinfection product.

Manual

Bootwasher

Manual Bootwasher Made from 304 stainless steel

• Hand-operated, press button, operation. . Sole brush available as optional extra

Code BW-M-0-3S

scrubbing brush.

Single Station

Twin Station

Triple Station

Quad Station

. Four adjustable feet.

Support handle to left or right

(please specify when ordering)

Standard Bootwasher Code BW-A-T-10B

Bootwasher with Hygiene gate Code BW-A-T-10B-TS

TECHNICAL SPECIFICATIONS

- Made from 304 stainless steel.
- 8 lateral brushes for cleaning the body of the boot.
- 2 horizontal brushes for cleaning
- the sole of the boot. Detergent injector - regulat
- between 1 and 7.5%.
- Base size: 2540 x 900mm





Fixed Side Brush with Sanatiser Gate

6 Brush Bootwasher

- · Photoelectric switch at each end.
- Created for continuous passage, the machine can be installed in a place which makes its use obligatory
- The boot and the sole cleaning is done by the combined action of:

The turning lateral brushes for cleaning the side of the boot

The turning horizontal brushes for the sole

The forward movement of the user. . Dismantling without tools for easy cleaning of

- the brushes and the sump Seperate wet and electrical compartments
- Supplied with detergent injector for the

TECHNICAL SPECIFICATIONS

- Made from 304 stainless steel.
- 4 inclined brushes for cleaning the body of the boot.
- 2 horizontal brushes for cleaning the sole of the boot • Detergent injector - regulation: between 1 and 7.5%.
- Base size: 2850 x 950mm



Manual Walk Through



Manual Walk Through

- 304 grade stainless steel construction
- · Fixed base and side brushes
- Complete with 2 off steps
- Complete with drain
- Width: 830mm. Length: 1380mm without steps, 1796mm with steps

Many more models available, call to discuss your requirements

Washers Boot

Twin Sole Washer with Card Reader or Hygiene Turnstile

- Created for continuous passage, the machine can be installed in a place making its use obligatory
- The sole cleaning is done by the combined action of 2 horizontal brushes and the mixing of water
- Dismantling without tools for easy cleaning of the brushes and the sump
- Entrance gate with 3-arm turnstile. Can be designed for card reader entrance or hand sanitising
- · Perforated waste basket with outlet
- Integrated stainless steel control panel
- . Step plates to both ends

Twin Boot Washer with Card Reader Turnstile Code BW-A-T-2B-TWIN

TECHNICAL SPECIFICATIONS

- . Made from 304 stainless steel.
- Detergent injector regulation between 1 and 7.5%
- Base size: 2500mm x 1480mm


Two Way Boot / Sole Washer

Twin Sole Washers

Two Way Boot / Sole Washer

- Photoelectric switch at each end
- The machine combines two different ways of cleaning boots and clogs - Created for continuous passage, the machine can be installed in a place
- which makes its use obligatory.
- The boot and the sole cleaning is done by the combined action of the turning lateral brushes for cleaning the side of the boot, the turning horizontal brushes for the sole, water jets and the forward movement of the user.
- Dismantling without tools for easy cleaning of the brushes and the sump.
- Separate wet and electrical compartments.
- Supplied with detergent injector for the disinfection product.
- Made from 304 grade stainless steel
- Detergent injector regulation between 1 and 7.5%
- Base size: 3280mm x 1200mm

Code CBW-A-T-6B





Integrated Hygiene Station

- Sole washing by 2 rotating base brushes with detergent injector
- Photoelectric switch for activation

Base size: 1780mm x 815mm

Hand sanitiser station with sensor operated dosing

Hygiene gate operates only after sanitiser is complete Dismantling without tools for ease of maintenance Separate wet and electrical compartments Made from 304 grade stainless stee

Code IHS.001



We can help you visualise your new hygiene entrance by providing 3D layouts

Compact Sole Washer with Turnstile

Compact Sole Washer with Hygiene Gate

- A sole washing machine with hygiene gate to ensure user washes soles of shoes and sanitises hands prior to entering the production area.
- Created for continuous passage, the machine can be installed in a place which makes its use obligatory.
- The sole cleaning is done by the action of 2 horizontal turning brushes and the mixing of water and detergent.
- Photoelectric switch at each end.
- Dismantling without tools for easy cleaning of the brushes and the sump.

Compact Sole Washer with Hygiene Gate

Code BW-A-T-2B-TS-C

- TECHNICAL SPECIFICATIONS . Made from 304 stainless steel.
- . Detergent injector regulation between 1 and 7.5%
- Compact Base size: 1800mm x 850mm



Ultra Compact Sole Washer with Turnstile

Ultra Compact Sole Washer with Hygiene Gate

- A sole washing machine with hygiene gate to ensure user washes soles of shoes and sanitises hands prior to
- Created for continuous passage, the machine can be installed in a place which makes its use obligatory.
- The sole cleaning is done by the action of 2 horizontal turning brushes and the mixing of water and detergent
- · Photoelectric switch at each end.
- Dismantling without tools for easy cleaning of the brushes and the sump.

Ultra Compact Sole Washer with Hygiene Gate Code BW-A-T-2B-TS-UC

TECHNICAL SPECIFICATIONS

- . Made from 304 stainless steel.
- Detergent injector regulation between 1 and 7.5%
- Ultra Compact Base size: 1167mm x 780mm

Hygiene Gate

TECHNICAL SPECIFICATIONS

- . Made from 304 stainless steel • Turnstile will not operate unless sanitiser is dispensed.
- Fully integrated electrics / control.
- Can be supplied complete with robust stand or can be integrated onto our walk through bootwashers

Single sided Code TS.001 Double sided Code TS.002









Boot Washers

Cupboards

Square Dollies

Square Dolly

- Manufactured in 304 grade stainless steel
- 4 Swivel nylon wheels with zinc housings





Aluminium Roller Bogies

- Manufactured from aluminium
- . 6 fixed wheels, 100mm diameter

600 x 400mm tray Code **BI.FT1.01** 750 x 450mm tray Code **BI.FT1.02**

Stainless Steel Roller Bogies

- · Manufactured from stainless steel
- . 6 fixed wheels, 100mm diameter

600 x 400mm tray Code BI.FT1.03 750 x 450mm tray Code **BI.FT1.04**





Circular Stainless Steel Bogies

- · Manufactured from stainless steel

Code BI.FT1.06 400mm diameter Code BLFT1.07 450mm diameter

Storage Bins



- 304 or 316 grade stainless steel
- Stackable
- FLT access from all sides
- Bead blast finish Fully welded
- 1204 x 1004 x 845mm (L x W x H)

Custom sizes also available



- 304 or 316 grade stainless steel
- · Heavy duty fully welded construction • Pushing handle for ease of mobility
- Drain with screw plug 200 litre capacity -

1200 x 700 x 810mm high Trough depth 360mm

Floor Cupboards and Drawers



Available with a variety of drawer and door combinations, please call to discuss your requirements.







Tall Cupboard

S/S tall cupboard with hinged doors 3 off shelves

900 x 457 x 1880mm Code CU.T01.01 Code CU.T01.02 1200 x 457 x 1880mm 900 x 610 x 1880mm Code **CU.T01.03** 1200 x 610 x 1880mm

S/S tall cupbard with single door

600 x 400 x 1880mm high

Code **CU.001.00**

- 304 grade stainless steel Hygienic sloping roof
- · Satin brush finish Levelling feet

Cupboards

Stainless Steel Open Front Cupboard


Mobile Tool Cupboard

1000 x 400 x 1650mm 3 off shelves Code **0FC.001** 600 x 400 x 1650mm 4 off shelves Code **0FC.002**

 $800 \times 600 \times 889 \text{mm}$ (long x wide x high) Code MTC.01.00

• Manufactured in 304 grade stainless steel • 5 drawers • Lockable

Internal shelves



Janitors Cupboard

4 off shelves 3 off hinged doors 1400 x 600 x 2000mm Code JC.001

- 304 grade stainless steel
- · Satin brush finish
- Hygienic sloping roof
- Internal shelves



Floor Cupboard

Sliding Door 1 off door 1 off mid shelf 600 x 600 x 850mm Code FCH.001.01 FCS.001.01 2 off doors 1 off mid shelf 1200 x 600 x 850mm Code FCH.001.02 FCS.001.02 3 off doors 1 off mid shelf 1500 x 600 x 850mm Code FCH.001.03 FCS.001.03 4 off doors 1 off mid shelf 1800 x 600 x 850mm Code FCH.001.04 FCS.001.04 1 off door 1 off drawer 600 x 600 x 850mm Code FCH.001.05 FCS.001.05 2 off doors 2 off drawers 1200 x 600 x 850mm Code FCH.001.06 FCS.001.06 3 off doors 3 off drawers 1500 x 600 x 850mm Code FCH.001.07 FCS.001.07 4 off doors 4 off drawers 1800 x 600 x 850mm Code FCH.001.08 FCS.001.08

Hinged Door

- 304 grade stainless steel
- Internal shelves





Wall Cupboard

• 304 grade stainless steel • Midshelf in each cupboard • Robust design

	Hinged Door	Sliding Door
1 off hinged doors 1 off mid shelf 600 x 400 x 600/700mm 2 off hinged doors 1 off mid shelf	Code WCH.001.01	N/A
1000 x 400 x 600/700mm	Code WCH.001.02	WCH.001.02
2 off hinged doors 1 off mid shelf 1200 x 400 x 600/700mm	Code WCH.001.03	WCH.001.03
2 off hinged doors 1 off mid shelf 1500 x 400 x 600/700mm	Code WCH.001.04	WCH.001.04
1 off hinged doors 1 off mid shelf 600 x 300 x 600/700mm	Code WCH.001.05	N/A
2 off hinged doors 1 off mid shelf 1000 x 300 x 600/700mm	Code WCH.001.06	WCH.001.06
2 off hinged doors 1 off mid shelf 1200 x 300 x 600/700mm	Code WCH.001.07	WCH.001.07
2 off hinged doors 1 off mid shelf 1500 x 300 x 600/700mm	Code WCH.001.08	WCH.001.08

Flat Pallets


- Fully welded.
- Manufactured from aluminium
- Stackable.
- · Easy cleaning and hard-wearing
- Excellent general purpose product.
- Full perimeter pallet reduces pallet damage from forks.
- 1200 x 1000 x 160 high, load capacity 600kg.
- 1200 x 800 x 160 high, load capacity 1000kg.

1200 x 1000 x 160mm Code PA FI 1.01 1200 x 800 x 160mm Code PA.FL1.02

Flat Pallets with Rim

- · Fully welded
- Manufactured from aluminium
- . Easy cleaning and hard-wearing
- · Excellent general purpose product.
- Full perimeter pallet reduces pallet damage from forks.
- 1215 x 1015 x 160 high, load capacity 600kg. • 1215 x 815 x 160 high, load capacity 1000kg
- Complete with retaining lip.

1215 x 1015 x 160mm Code PA.FL1.RO1 1215 x 815 x 160mm Code PA.FL1.R02




Skid Pallets

Skid Pallets

- · Fully welded
- · Manufactured from aluminium
- Stackable.
- Easy cleaning and hard-wearing. · Excellent general purpose product.
- Skid pallet reduces pallet damage from forks.
- 1200 x 1000 x 160 high, load capacity 600kg. • 1200 x 800 x 160 high, load capacity 1000kg.


1200 x 1000 x 160mm Code PA.FP1.01 1200 x 800 x 160mm Code PA.FP1.02



Skid Pallets with Rim

- Manufactured from aluminium.
- Stackable.
- · Easy cleaning and hard-wearing. • Excellent general purpose product.
- Skid pallet reduces pallet damage from forks.
- 1215 x 1015 x 160 high, load capacity 600kg.
- 1215 x 815 x 160 high, load capacity 1000kg. · Complete with retaining lip.

1215 x 1015 x 160mm Code **PA.FP1.R01** 1215 x 815 x 160mm Code PA.FP1.R02



Flat Angled Skid Pallets

Flat Angled Skid Pallets

- Fully welded on four block feet.
- · Manufactured from aluminium.
- Easy cleaning and hard wearing.
- Excellent general purpose product.
- 1200 x 1000 x 160 high, load capacity 600kg.
- 1200 x 800 x 160 high, load capacity 1000kg.

Aluminium Flat Pallet 1200 x 1000 x 160mm Code PA.SK1.01 Aluminium Flat Pallet 1200 x 800 x 160mm Code PA.SK1.02

Flat Angled Skid Pallets with Rims

- . Fully welded on four block feet.
- Manufactured from aluminium.
- Easy cleaning and hard wearing.
- Excellent general-purpose product.
- Complete with retaining lip.
- 1215 x 1015 x 160 high, load capacity 600kg.
- 1215 x 815 x 160 high, load capacity 1000kg.

Aluminium Flat Pallet with Rim 1215 x 1015 x 160mm Code PA.SK1.R01 Aluminium Flat Pallet with Rim 1215 x 815 x 160mm Code PA.SK1.RO1




Caged Pallets


Caged Pallets


- . Fully welded, stackable, robust box pallets.
- · Various options available.
- Block feet, angled skids, full perimeter, mobile.
- Complete with gates or half gates dependant upon requirements Capacity up to 1000 kg.
- · Individual sizes available upon customer request.
- Full security caged pallet also available with lockable lid and gate.

Caged Pallet 1200 x 800 x 850mm Code PA.CA1.01 1200 x 1000 x 850mm Code **PA.CA1.02**









Mobile Steps

- Manufactured in 304 quality stainless steel
- Stainless steel non slip steps
- · 2 swivel castors to rear
- 2 retractable fixed castors
- Locking handle

Mobile steps S/S locking handle chequer

Code MS.ST.002

Code MS.ST.003

Code MS.ST.004

Code MS.ST.007

or anti slip perforated 2 steps + platform 730mm high

3 steps + platform 920mm high 4 steps + platform 1140mm high 5 steps + platform 1380mm high

6 steps + platform 1500mm high with additional stabilisers

7 steps + platform 1800mm high with additional stabilisers

Static Steps

Static S/S step units with chequer plate

or anti slip perforated

1 step no handrail 500mm high Code \$\$.\$T.001 2 step no handrail 730mm high Code \$\$.\$T.002

Platforms and Steps

Aluminium step units static with chequer plate

or anti slip perforated

1 step no handrail 500mm high Code SS.AL.001 2 step no handrail 730mm high Code \$\$.AL.002



We **Specialise** in Bespoke

> Give us a call on 44(0)1543 675 800

Up and Over Step Unit

- Designed to suit your application.
- Stainless Steel, Mild Steel or Aluminium
- Box section or Tube.
- Fully welded Hygienic design

Unitech can design, manufacture and install your bespoke platforms & stairs



Call to discuss your requirements

Unitech also Design, Manufacture and install Barrier Protection in Stainless or Mild Steel






Drains & Kerbing

Unitech manufacture an extensive range of Stainless Steel drains, kerbing and protection systems. We offer a full survey design and instillation service.

Kerbing

Available for new builds or as a retro fit



Other styles and material specifications available

Call to discuss your requirements

Some examples of installations














Stainless Steel Drainage

Slot drain channel Standard channel **Drain Channels** • 304 grade stainless steel (316 option) Standard sizes available Bespoke options • Range of grid options Slot drain channel Standard channel 1 Standard channel 2 Standard channel 3 150 117 = **Drainage Grids**

Drains & Kerbing




Stainless Steel Drainage

Gully Pots

- 304 grade stainless steel (316 option)
- Removable gross solids collection baskets
- Round or square bases
- Reinforced rubber infill lip · Removable foul air trap






Our stainless kerbing systems are available for new builds or as a retro fit. As they are manufactured from 304 grade stainless steel they are a robust and hygienic kerbing solution. We manufacture standard kerb types and sizes along with bespoke options.

Dump Pots

- 304 grade stainless steel
- 316 grade option
- · Removable mesh baskets
- 4" or 6" outlets
- Various tops


Drains & Kerbing




Manhole Covers

- 304 grade stainless steel
- 316 grade option
- Top suitable for resin filling
- 400mm, 500mm, 600mm square size








Rodding Eyes

- 304 grade s/s
- 316 grade option • Removable mesh baskets
- 150mm square with 4" outlet or 235mm
- square with 6" outlet
- Various tops



Single Kerb **Double Kerb** Clip on Retrofit Kerb Pillar Kerb Door Kerb

Stainless Steel Barrier Railing, Gates & Posts

Choose from our standard range of 304 or 316 grade options or request bespoke arrangements. Our experienced design team will create a solution to suit your requirements







Platforms, Gantries & Stairways

Designed to suit your application and available in stainless steel, aluminium or mild steel. We design, manufacture and install.



Stainless Steel Measuring Jugs

- Manufactured in 304 quality stainless steel.
- Crevice free.

Utensils

ळ

Vesse/s

- · Fully welded.
- · Bright polished.

Capacity	Diameter x Height	
500 ml	120 x 110mm	Code 129
1000 ml	150 x 140mm	Code 129
2000 ml	175 v 200mm	Code 120



Stainless Steel Crevice Free Scoops

- Manufactured in 304 quality stainless steel.
- Crevice free. • Fully welded.
- · Bright polished.

Size	
100 x 50mm	Code 155 A
150 x 75mm	Code 155B
210 x 95mm	Code 1550
235 x 110mm	Code 155 D
235 x 135mm	Code 155E
250 x 150mm	Code 155F
275 x 175mm	Code 1556
325 x 255mm	Code 155 H



Stainless Steel Straight Sided Jugs

- Manufactured in 304 quality stainless steel.
- Crevice free. Fully welded.
- · Bright polished.

Capacity	
0.5 litres	Code 135
1.0 litres	Code 135
1.5 litres	Code 135
2.0 litres	Code 135
5.0 litres	Code 135



Stainless Steel Flour Scoops

Manufactured in 304 quality stainless steel.

Bright polished.	Bright	polished.
------------------	--------	-----------

Blade size

100 x 50mm	Code 160A	
150 x 75mm	Code 160B	
190 x 100mm	Code 160C	
235 x 100mm	Code 160D	
250 x 150mm	Code 160E	1
		1

Stainless Steel Funnels

- Manufactured in 304 quality stainless steel.
- Crevice free. • Fully welded.
- Bright polished.

Diameter	
50mm	Code 130A
80mm	Code 130B
100mm	Code 130C
120mm	Code 130D
150mm	Code 130E
200mm	Code 130F
250mm	Code 130G

305mm Code 130H



Stainless Steel Narrow Mouthed Jugs

- Manufactured in 304 quality stainless steel.
- Crevice free.
- Fully welded.
- · Bright polished.

Capacity	
0.6 litres	Code 140B
1.0 litres	Code 140C
2.0 litres	Code 140D
3.0 litres	Code 140E
5.0 litres	Code 140F



Stainless Steel Bowls

- Manufactured in 304 quality stainless steel.
- Crevice free.
- Fully welded.
- Bright polished.

Capacity	Diameter	
0.75 litres	165mm	Code 115/
1.0 litres	170mm	Code 115E
2.0 litres	220mm	Code 1150
3.0 litres	250mm	Code 1150
4.0 litres	270mm	Code 115E
5.0 litres	300mm	Code 115F
6.0 litres	320mm	Code 1150
8.0 litres	335mm	Code 115H
11.0 litres	395mm	Code 115I
14 O litres	410mm	Code 1151



Stainless Steel Buckets

- Manufactured in 304 quality stainless steel. • Crevice free.
- Lifting rim and handle.
- Graduated.
- Lids available

nbe
20AI
20BI
20CI



Stainless Steel Balers

- Manufactured in 304 quality stainless steel
- Crevice free. • Fully welded.
- Bright polished.

oupucity	Diameter	
1.1 litres	150mm	Code 110/
2.2 litres	200mm	Code 110
3.0 litres	225mm	Code 1100

Stainless Steel Ladles

- Manufactured in 304 quality stainless steel
- Crevice free.
- · Bright polished.

Capacity	Diameter	
0.075 litres	70mm	Code 191B
0.125 litres	80mm	Code 191C
0.250 litres	100mm	Code 191D
0.450 litres	120mm	Code 191E



Stainless Steel Straight Sided Bucket

- Manufactured in 304 quality stainless steel.
- Graduated. • Lids available.

i ournig spout.		
 Standing rim. 	5 litres	Code 125A
 Lifting handles. 	10 litres	Code 125B
Crevice free.	15 litres	Code 125C
Bright polished.	23 litres	Code 125D
	28 litres	Code 125E

Stainless Steel/Alloy Scrapers

- Manufactured in 304 quality stainless steel.
- Alloy/stainless steel handle.
- Satin finish.

- Jatin milan.			
All Stainless Steel		Stainless blade/Alloy hand	
Blade size	Diameter	Blade size	Diamete
125 x 37mm	Code 153AS	125 x 37mm	Code 15
125 x 50mm	Code 153BS	125 x 50mm	Code 15
125 x 75mm	Code 153CS	125 x 75mm	Code 15
150 x 100mm	Code 153DS	150 x 100mm	Code 15
150 x 150mm	Code 153ES	150 x 150mm	Code 15

Stainless Steel Pallet Knifes

- Manufactured in 304 quality stainless steel.
- Crevice free.
- Handle length 125mm approx.
- Fully welded.
- Bright polished.

Blade length

150mm Code 191A 200mm Code 191C 250mm Code 1910 300mm Code 191E



Stainless Steel Storage & Mixing Containers

- Manufactured in 304 quality stainless steel.
- Graduated. • Lids and clamps available.
- Standing rim.
- · Lifting handles. • Crevice free.
- Bright polished.

Capacity	Diameter	
15 litres	275mm	Code 370B
20 litres	300mm	Code 370C
25 litres	300mm	Code 370D
30 litres	300mm	Code 370E
50 litres	370mm	Code 370F
75 litres	425mm	Code 370G
100 litres	475mm	Code 370H
150 litres	530mm	Code 370 I

Used by companies worldwide. The Unitech range of washers include an extensive selection of both Standard & Custom built machines.

Our Services

- Machine Design
- Machine Service
- Spare Parts
- Installation
- Machine Refurbishments

Our Range

- Pan/Utensil Washer Pallet Washer
- Tray Washers
- Tote Bin Washers IRC Washer
- Rack Washers
- Sanitising Tunnels

Design Features

- Powerful cleaning
- Hygienic design
- Predominantly 304 grade stainless steel
- Ease of maintenance
- Modular design

Pan/Utensil Washers

Pan/Utensil Washers

Unitech Pan Washers offer a compact washing system suitable for many different types of products. As with the other machines within our portfolio, the pan washer offers a hygienic construction, free from crevices pop rivets or sealants.

Cleaning is via top and bottom rotary arms, fitted with quick release stainless steel nozzles, to give full coverage of the items to be washed. The detergent wash cycle is followed by a hot pumped rinse, up to 85°c, in order to remove detergent residue and assist flash drying. Operator maintained items, such as filters and level probes are accessible

Double skinned, gas strut assisted and electrically interlocked access door, ensures operator safety and ease of loading

Wheels attached to the machine frame allow the unit to be easily moved, for cleaning around and under the machine in high-risk applications.

A PLC (programmable logic controller) linked to an operator HMI (human machine interface) allows a wide range of wash times and cycles, tailored to each customer requirement. Heating media within the wash tank can be either electric or steam.



Standard machine sizes:

800 series Basket size - 800mm x 800mm 1200 series Basket size - 800mm x 1200mm 1600 series Basket size - 800mm x 1600mm

Crate/Tray Washers



Crate/Tray Washers

Unitech Tunnel Jet Washers offer a continuous in-line washing solution for trays and crates. Washing pressures of 60-80psi provide an effective wash via stainless steel quick release fan iets, ensuring all surfaces of the product are thoroughly cleaned. Hygienic construction, eliminating stitch welds, pop rivets, sealants and the employment of free draining, sloping surfaces, allow the machines to be suitable for both low and high-risk areas, without the need for a change of specification. The use of sloping surfaces and hygienic design principles also assist in reducing times for routine clean down operations.

Unitech are able to easily tailor the machine design and wash requirements to the client's specific needs, with various pre-wash, wash, rinse, sanitising and drying options available. The tailored design also assists in minimising water and energy usage, with proven utility savings over many competitors equipment

We also manufacture turn key solutions for the supermarkets and logistics industry such as our twin track tray washer

Standard Features

- Stainless steel crevice free construction
- Variable speed drives
- · Hinged access doors, electrically interlocked
- . Stainless Steel, quick release 360° jetting



• Speed ranges from 100 units per hour

- up to 6000 units per hour
- Single and Twin Track options . Heating via electric, steam or gas
- . Pre-wash and heated rinse options
- High pressure jetting for label and
- stubborn soil removal Automatic filtration options
- Multiple tray sizes accommodated



Systems

Washing

Tote Bin/Buggy Washers

Washing Systems

Unitech Tote Bin Washers are available with various options, thus tailoring the equipment to specific customer requirements. Offering full internal/external and wheel washing, the Unitech Tote Bin Washer gives an effective all over clean for all types of soiling. Internal surfaces are cleaned using a motor driven, high-impact jetting arm, with stainless steel, quick release jets. Wheels are washed with an additional rotary jetting head to give a complete all over wash. Various wash programs allow bins with varying degrees of contamination to be washed in a common unit, but with the minimum amount of energy for each different product. The Unitech Tote Bin Washer is constructed using the hygienic principles applied to all our equipment, with the elimination of stitch welding and silicone sealants, producing a crevice-free finish, which facilitates the cleaning of the unit and minimises bacterial traps. A unique optional system of filtration allows gross debris or protein-based products to be prewashed from the bins, preventing soils from entering the main wash reservoir, thus minimising both detergent and water usage.

Standard Features

- Stainless Steel, Crevice-Free Construction
- Hygienic Tubular Jetting Manifolds With Flushing Points For Cleaning
- Electrically Interlocked Doors
- Automatic Lifting Arms Invert The Bins For Cleaning.
- Re-Circulated Detergent Wash
- · Multiple Wash Programs

- . Steam, Electric or Gas Heating Options
- . Single or Twin Bay Units
- Ambient or Heated Final Rinse
- Automatic Filtration Options
- · Pre-Wash Options



Rack Washers



Rack Washers

Unitech Rack Washers are supplied primarily to the food and pharmaceutical industries for the effective cleaning of wheeled or pallet base racks. As with all of our equipment they are of hygienic construction, and are designed to make the machine clean down, quick and efficient, eliminating areas, that in some designs are difficult or time consuming to clean.

Washing is via rotary arms, fitted with quick release stainless steel jets, coupled to a high volume medium pressure (60psi) centrifugal pump(s), in order to produce an all over effective clean. The wheels and bases of the racks are also subjected to jetting ensuring that areas sometimes overlooked are washed.

The rack washer floor is completely removable for cleaning, allowing complete access to the machine base tank. Unitech Rack washers are supplied for pit or floor mounting, and can be supplied with a "through" door system from low risk to high care, which is electrically interlocked to prevent low risk area equipment from entering high care without being subjected to a wash cycle.

For pit mounted systems, the Unitech pit design and pit plates, allow full access to the pit base, ensuring that no areas are inaccessible for cleaning

As with all of our equipment, access doors are double skinned and electrically interlocked for operator safety. and are fitted with internal emergency release handle to ensure safety compliance.

Standard Features

- 360° ietting
- Stainless Steel Construction
- Hygienic construction

- Steam, Electric Heating
- Single side or through door acces
- · Pit or floor mounting
- · Ambient or heated rinse
- Single or multiple rack systems



Sanitising Tunnels

Sanitising Tunnels

Unitech Sanitising Tunnels are designed to effectively apply an uninterrupted flow of sanitising solution to all faces of products being handled.

To achieve this. Unitech have a unique system of removing the belt from the product during the spraying operation, allowing full 360° coverage.

Hygienic construction, eliminating stitch welding, pop rivets and silicone sealants provide a crevice-free product, thus minimising the risk of bacterial growth and cross-contamination. Large access doors and removable end covers add to the cleanability of the sanitiser offering a fully hygienic operation.

Standard Features

- Blue coloured modular belt, open design, allowing free drainage
- Inverter controlled motor for speed adjustment
- Automatic level control on the reservoir for fill and pump protection
- · Centrifugal pump with stainless steel impeller and housing
- Dosatron sanitiser injector
- · Sloping surfaces for added hygiene benefits
- · Through wall installation
- Stainless steel construction, with food grade bearings
- Re-circulation and filtration of sanitising solution, minimising water and
- . Photocell on discharge, stops the conveyor in the absence of an operator

- . Lift up ends, minimising clean down times
- 316 stainless steel construction
- Air knife on discharge for excess solution removal
- · Bi-directional operation
- Total Loss "misting" systems for delicate products



Pallet Washers

Pallet Washers

System

Washing

Unitech Pallet washers can be supplied as manually loaded units or as a complete system, using automatic de-stacking and re-stacking of pallets

All our machines are manufactured using hygienic design principles, thus enabling them to be used in a wide range of industries, from logistics through to food and pharmaceutical installations Re-circulated wash systems, coupled to a range of filtration options make the machines highly efficient and minimise utility and energy usage. Various washing cycles are available from pre- washing, hot detergent wash, final rinse, sanitising rinse and air knife blower systems, thus enabling the machines to be tailored to the customer's requirements

Rotary jetting systems and fixed manifolds with 360° coverage, are strategically positioned for cleaning hard to reach areas, such as tops of base boards. Fitted with stainless steel quick release iets they provide an excellent result when cleaning even the heaviest of soiled pallets.

Many designs and sizes of pallets can be accommodated, with also adjustable guide systems to allow pallets of varying size and design to be washed in a common unit.

Standard Features

- Stainless Steel Hygienic Construction
- . Effective Jetting Systems
- Re-Circulated Wash Systems
- Rotary and Fixed Jetting Systems
- Energy Efficient

Options

- . Manual or Automatic Feed Options
- . De-Stacking and Re-Stacking
- Air Knife Drying
- Gas, Steam or Electric Heating



Dolay / Bulk Container Washers

Dolav/Bulk Container Washing

Dolav or Pallet Box washers allow the efficient cleaning of Bulk storage containers with either a stand-alone cabinet unit or an automated in-line system. As with all our wash equipment, the machines in this range incorporate our latest hygienic design principles, thus minimising energy usage and cleaning times.

Cabinet units can be supplied with single or double bays to accommodate various throughput rates, and can be available with removable frames in order to allow a large range of containers to be washed in a single machine. Multiple programmable wash cycles are included which gives flexibility for a wide range of soiling, allowing the client to tailor the machine to their specific requirements

Inline systems have an indexing mechanism allowing the Dolavs to pause at a jetting station, where high impact jets enter the unit, ensuring that all surfaces are efficiently washed. These units can also be supplied to accommodate other items such as Pallets, within the same production line

With most of the water being re-circulated, significant savings in utility usages can be made, against norma hand-held jet wash systems, giving short payback periods.

Standard Features

- Stainless-Steel Construction
- Multiple Wash Programs
- Re-Circulated Wash Cycles
- High Impact Jetting

Options

- Gas, Steam or Electric Heating
- Single, Twin Bay or In-Line Configuration
- . Low Risk/High Care Operation
- Ambient or Heated Final Rinse





Conveyors & Material Handling

Unitech manufacture a wide range of conveyors and conveyor systems for use in the food and other hygiene conscious industries.

Our Services

- Design
- Automation
- Installation
- Project Management

Our Range

- Modular Belt
- Bottle & Can
- Magnetic
- Vibratory Feed Pallet
- Indexing/Readymeal Lines Endless Belt

• Elevating Product

• Electric Enclosures


• Egg Grading

• Rotary Table/Lazy Suzies

- Poultry • Multi-Tier
- Loose Product • Electrical Panels
- Wire Mesh
- Rework/Assembly

Design Features

- Hygienic Design
- Predominantly 304 grade stainless steel
- Ease of maintenance through careful design



Full Range of Spares Available

Cable Conveyors

Cable Conveyors

Unitech can provide completely integrated PLC (programmable logic controller) controlled cable conveyo systems that are used predominantly for handling of cans or PET containers up to speeds of 1500cpm

Benefits of Cable Conveyors:

- Single lane flexible conveying system
- · Low cost option for conveying over large distances
- · Tailored to suit customer requirements
- . Customised guide rails to suit containers
- Can be integrated with slat/modular belt conveyor design:

Typical Construction:

- Stainless or mild steel spines & frames
- · Roller or continuous wear strips
- Direct shaft mounted motorised gear unit



Chain / Indexing Conveyors

Chain / Indexing Conveyors

Unitech's Chain Indexing Conveyors are manufactured to the highest quality & hygienic specification. Our Chain Indexing Conveyors have been utilised in numerous ready meal production lines as standalone meal assembly units or part of an automated system, with fully integrated recipe controlled depositors through to tray sealing machines.

- Suitable for specialised filling and other process applications
- . Ideal for ready meal systems
- Stepper motor driven for precise indexing fully automatic & adjustable chain pitch to accommodate various tray sizes
- . Machines can incorporate various conveying mediums and flight arrangements
- Rigidly mounted for stability
- Hygienic design for ease of cleaning

Typical Construction:

- 304 & 316 stainless-steel framework & chair
- Diamond box section & tubular designs
- . UHMWPE (Ultra high molecular weight
- Direct shaft mounted motorised gear units



Gravity Roller & Cone Line Conveyors

Gravity Roller Conveyors

Material Handling

Conveyors

Our Gravity Roller Conveyors are used in a wide range of industries to convey products such as cardboard boxes, plastic trays and all manner of goods. These conveyors use the force of gravity to move the products from one point to the other, where a person will then be required to remove and perform the next task in a typical packaging or processing cycle. Unitech can supply & manufacture the complete range of gravity roller conveyors designed to meet your exact requirements.

- Manufactured from 304 & 316 stainless steel, or also available in mild steel powder coated & aluminium.
- Conveyor widths from 200mm inside frame to 1500mm inside frame.
- Roller diameters from 25mm, 35mm, 38mm, 40mm, 50mm, 60mm, 63mm and 76mm,
- Roller pitches dependent upon your load that you wish to convey.
- Roller types include stainless & mild steel, bright zinc plated, and rubber covered and plastic.
- Roller fitting can be easy to remove, they are spring loaded with hex or round spindles. They can also be secured to side frame via bolts.
- Adjustable supports legs are available in many formats, with typical adjustments ranging from +/- 50mm for standard legs to +/- 100mm for non-standard
- Units can be fitted to existing systems or supplied mobile



We use a wide range of accessories including

- Ball tables Braked rollers End stops Lift up gates Mobile units
- Side guides Skate wheels Spiral bends Turntables

Modular, Slat Belt & Elevator Conveyors

Modular & Slat Belt Conveyors

Unitech manufacture a wide variety of modular & slat belt conveyors which are designed to suit the requirements of the industry sector they are supplied to, this ranges from industrial warehousing to food, beverage & pharmaceutical environments. Our core modular belt conveyor design is predominately of a stainless-steel construction utilising the latest modular belts on the market to help facilitate the highest quality end product.

- . Manufactured from 304 & 316 stainless steel, or also available in mild steel powder coated & aluminium. Unitech can provide complete PLC controlled systems or single
- standalone units which can be integrated into existing system or form part of a complete new packaging/production system
- . Hygienic design to the latest EN BS & EHEDG guidelines for ease of cleaning in the Food Beverage and Pharmaceutical industries.
- Vast array of conveyor widths available typically from (but not limited to) 85mm belt widths to 1500mm widths.
- . Adjustable supports legs are available in many formats, with typical adjustments ranging from +/- 50mm for standard legs to





Typical Configurations & Applications:

- Accumulation conveyors and product buffer storage to cover Unpacked
- Packed products and canning & bottle applications.
- . Combining conveyors and De-pal table applications available typically for
- Elevating applications both foods & packed products
- . Integrated Case Packing & Palletise systems
- Low Back pressure LBP applications to reduce pressure when accumulating.
- Tight radius belt conveyor design for minimal foot prints & floor space • Pivot / Luffing belt conveyor configurations





- · Horizontal pack transport



Elevator Conveyors

call on +44(0)1543 675 800

Powered Roller Conveyors

Unitech powered roller conveyors are manufactured to suit a variety of applications, constructed from mild steel and stainless-steel These modular design units are a cost-effective solution for the transportation of packed products suitable for all environments, to create an efficient handling system to cater for a wide range of automated conveying requirements.

Typical Configurations:

- . Line shaft driven rollers
- . Chain & belt driven rollers
- Motorised rollers for zero-line pressure accumulation/queuing of products without contact to avoid product iams
- · PLC controlled systems for new or integration into existing

Typical Applications:

- Case & box handling systems
- Integrated case packing & palletise systems
- Pallet/tote handling systems
- · Sortation systems





PU Belt Conveyors

Powered Roller Conveyors

PU Belt Conveyors

Unitech offer a wide variety of PU belt conveyors suitable for the transportation of products either in packed or unpacked formats. Unitech helt conveyors are predominantly used in the Fish Poultry Bakery and Salad industries where we utilise our ultra-hygienic design to EN BS & EHEDG guidelines. In addition to these types of PU belt conveyors, we also build our belt conveyors for pack & case products which can easily be integrated into our automated packing conveyor systems

Typical Configurations:

- · Swan neck conveyors
- . Elevating & lowerating conveyors
- · Bend conveyors
- Metering / speed up transfer conveyors
- . Cantilever design (full endless belt removal without the need for tools)
- Nose bar applications
- Automated belt tracking (for nose bar applications)
- 304 & 316 stainless-steel pressed side frame design hygienic light duty applications
- 304 & 316 stainless-steel diamond box section construction for heavier duty applications
- · Reciprocating conveyors for freezer and oven loading
- PLC controlled

Typical Applications:

- · Bakery application De-watering systems
- . Case & box handling systems Fish processing
- Inspection systems
- Integrated case packing & palletise systems
- Red meat processing Salad & vegetable processing
- · PLC controlled systems for new or integration into existing



email us on info@unitech.uk.com Adjustable in height

• 0.37 kw, single phase, 1.82 amps motor

Spiral Conveyors

Spiral Conveyors

Conveyors & Material Handling

Unitech Spiral conveyors offer an effective solution when products need to be inclined, declined, stored & buffered. Our experienced team can guide you through the process to determine not only the correct type of spiral conveyor but also the most cost effective. PLC controlled systems enable complete integration into your new or existing manufacturing facility.

Typical Configurations:

- Bakery facilities (Buffer Storage, Cooling)
- · Case & box handling systems (decline & Incline arrangements)
- · Freezer outfeed/infeed feed systems
- . Integrated case packing & palletise systems
- PLC controlled systems for new or integration into existing lines





Vibratory Conveyors

Vibratory Conveyors

Our sister company Driver Southall manufactures bespoke Vibratory Conveyors, they can be incorporated into a new Unitech conveyor system or existing production line.

Driver Southall vibratory Conveyors are designed to run quietly with low power consumption, they are designed with ease of maintenance in mind and therefore offer

incredible reliability. The vibrating action is achieved with either electro-magnetic units or with specially designed hydraulic impulse units (if moving large weights is required). The gentle vibrating action eliminates product damage

Our sister company Driver Southall manufactures bespoke Vibratory Conveyors, they can



Wire Belt Conveyors

Wire Belt Conveyors

Here at Unitech we manufacture a range of conveyors and conveyor systems that utilise stainless-steel wire mesh belts. Wire mesh belts are ideal for bakery, confectionary and other customer's exact specifications, this allows for extreme flexibility in the designs of the systems.

- We use many type of wire belts depending of the application
- . Hygienic box section construction
- 304 & 316 stainless-steel pressed side frame design hygienic light duty applications
- 304 & 316 stainless-steel diamond box section construction for heavier duty applications



Unitech Specialise in Bespoke

At Unitech, we understand that every client's requirements are different. Whether you require standard fabricated items from our catalogue range, turnkey systems or require bespoke products, Unitech are here to assist you. We have experienced technical sales, in-house design and project management teams who will visit you at your site to discuss your project requirements. Below are just a few of the recent 'specials' we have completed for various customers in different industries.

Contact us today on +44 (0) 1543 675800 or email us on info@unitech.uk.com.

Cone Line Conveyors

Cone Line Conveyors

Unitech cone line conveyors are widely used within the poultry processing industry facilitating the deboning process. The food industry approved cones and stainless steel frame offer a hygienic and efficient process to ensure operators can perform their task precisely

Typical Configurations and Applications

- . Manufactured from 304 grade stainless steel
- PLC controlled systems for new or integration into existing system
- Hygienic design for ease of cleaning
- · Widely used in the poultry processing industry
- . Ideal for cutting and trimming birds
- Full poultry process solutions available
- Side cutting tables integrally constructed
- . Conveyor lengths to suit speed and application . Twin lane systems may be incorporated






Bottle Lowerator/Inverter

Bottle Lowerator/ Inverter

Side grip plastic bottle lowerator with inversion for air rinsing of the bottles Adjustable in size to allow differing bottles to be run, high throughput in a small footprint. For use in water, dairy, juice and soft drink applications







We manufacture multiple level conveyors ideal as packing stations.




call on +44(0)1543 675 800

Rice Cake Cooling Line

Specials

Bespoke









Chicken Wing Trimming Line



Typical twin tier chicken wing trimming stations, designed around the customer's specific requirements for their labour and product specification



Single Column Lift and Tip

- Designed to lift and tip standard 200 litre euro tote bins
- t call be illalitifactured as a fliobile version on braked caster
- or as a static unit which can be bolted to the floor
- Adjustable tipping height with a maximum tipping height of 2200mm and a minimum tipping height of 1100mm
- · Lifting speed 6 metres / mi
- Other options and models available including guarding contact us direct to discuss your requirements

Technical Data

- Made from 304 grade stainless stee
- Matt finish
- Maximum lifting capacity of 350kg including bin and product
- Nominal size with bin 1070mm x 1520mm x 2862mm high
- 415 volt 3 phase 0.75kw motor





Twin Column Dolav Lift and Tip

- Designed to lift and tip dolav bins with the capacity of 1.5 tonnes
- Fully guarded
- Heavy duty construction
- Can be bolted to floor for stability
- Manufactured from 304 grade stainless steel



Hydraulic Dolav Tipper

- Used mainly in the food industry to tip standard 600 litre Euro containers at lower tipping heights onto tables, conveyors etc.
- This model uses a hydraulic power pack to operate
- Maximum lifting capacity 800kgs to 1500kgs including container
- 304 grade stainless steel
- Mobile and static versions available
- Mains or battery operated



Many more models available, call to discuss your requirements





Lifting & Tipping

Lifting & Tipping

Many more attachments available, call to discuss your requirements

Buggies

- Heavy duty 5mm reinforced base.
- Fully welded crevice free construction with beaked front rim.
- Pushing handle for operation.
- · Diamond pattern wheel for maceuverability.
- . Can be manufactured with or without sideflights.

 120 Litre
 540 x 540 x 600mm
 Code TB.120

 200 Litre
 710 x 680 x 700mm
 Code TB.200

 300 Litre
 710 x 680 x 940mm
 Code TB.300



Perforated Buggies

- Heavy duty 5mm reinforced base
- Fully welded crevice free construction with beaked front rim.
- Pushing handle for operation.
 Diamond pattern wheel for maoeuverability.
- Can be manufactured with or without sideflights.

120 Litre 540 x 540 x 600mm Code **PTB.120**

200 Litre 710 x 680 x 700mm Code PTB.200 300 Litre 710 x 680 x 940mm Code PTB.300

Insulated Tote Bins

- Heavy duty 5mm reinforced base.
- Fully welded crevice free construction with beaked front rim.
- Pushing handle for operation.
- Diamond pattern wheel for maoeuverability.
- Can be manufactured with or without sideflights

Internal Cladding 160 Litre Code TBI.01.001
External Cladding 200 Litre Code TBI.01.002

Chuted tote bins also available



Choose from: Stainless steel
 Polypropylene
 Insulated

- Buggy lid trolley available for transportation.
- Supplied with lifting handles.

Stainless steel lid Code TB.SS1.01
Polypropylene lid Code TB.PP1.01
Insulated lid Code TB.IN1.01



300 Litre Buggies

- Heavy duty 5mm reinforced base.
- Fully welded crevice free construction with beaked front rim. Pushing handle for operation.
- Diamond pattern wheel for maceuverability.
- Can be manufactured with or without sideflights.





Buggie Racking

- Secure holding position.
- Variable width and height to suit customer application. • Easily assembled.
- Ideal storage for congested production areas.
- Manufactured to suit buggie size.
- 1 Bay Code TBR.001

2 Bay Code TBR.002 3 Bay

5 Bay Code TBR.005





Cross Head Basin Tap

Deck Lever 3" Mixer Tap

Code 500ML3



Cross Head Bib Tap



Cross Head Pillar Tap



Lever 3" Pillar Tap



Lever Mono Block Mixer Tap



Deck Mixer Tricon Head Code 600DSMR



Deck Mixer Tap Cross Head

Pre-Rinse Assemblies



Pre-Rinse KN66 Code DP601BR

KN50 (Mono Block)

Pre-Rinse Code DP501BR

Pre-Rinse KN53

Code OHW30AS

Pre-Rinse Short Type with Pot Filler

Short **Pre-Rinse**

Code OHD20M



Parts & Spares













Drive and Idler Drums





Gravity and Lineshaft Rollers



Sink Spares



Tables, Trolleys & Rack Spares



Some of our spare parts suppliers



Change Parts















CONTACT OUR SPARES TEAM DIRECT AT SPARES@UNITECH.UK.COM

The Unitech Industries Group



Suppliers of catering equipment and chemicals ranging from light equipment, disposables, crockery and cooking equipment.









Checkweighers, metal detectors, combination systems, vibratory conveyors, floor and bench











Bespoke food service and retail counters, refrigerated, heated and ambient displays, commercial kitchens, hot plates and scone plates.











Kitchen planning and design, stainless steel custom food service solutions, specialist joinery and Corian manufacturing, service maintenance, breakdown repair and turnkey shopfitting.









Design, supply and installation of modular handrail and balustrade systems specialising in stainless steel with glass infill and structural glass balustrades.











Bespoke catering equipment from tables to bespoke servery counters, marine proof locker room equipment and custom designed refits and bespoke projects.











Bespoke and modular counter services for a range of sectors within the food service industry, refrigeration, warewashing, counter solutions, cooking and foodservice products.











Design, supply and installation of commercial catering equipment for all sectors of the industry including schools, hotels, high street outlets, universities and restaurants.









The Unitech Industries Group



Hygiene Entrances, Sinks, Boot Washers, Lifting and Tipping, Conveyor Systems, Stainless steel tables, locker room equipment, bakery trolleys and trays and bespoke solutions.

Crate and tray washers, pan and utensil washers, tote bin and buggy washers, rack washers,

Process and freezer room construction, drainage systems and kerbing, platform and

Kitchen design and installation, food servery counters and bars, service and maintenance,

Paint finishing plant and equipment including spray booths, bespoke turnkey solutions,

Specialists in high quality pressings, fabrications and welded assemblies. On site laser

























structural steel and mechanical and electrical services.













bespoke fabrication, extraction systems, light equipment and much more.
























































Unitech House

ENGINEERING

Prospect Road

Burntwood

Staffordshire

WS7 OAU

info@unitech.uk.com

www.unitech.uk.com

Part of the Unitech Industries Group

www.unitechindustries.co.uk

ISSUE 10

